# Chapter 11 The Current and Future Status of Floristic Provinces in Thailand

**P.C. van Welzen** *Leiden University, The Netherlands* 

**A. Madern** *Leiden University, The Netherlands* 

**N. Raes** *Leiden University, The Netherlands* 

J.A.N. Parnell Trinity College Dublin, Ireland

**D.A. Simpson** Royal Botanical Gardens, UK

**C. Byrne** *Trinity College Dublin, Ireland* 

**T. Curtis** *Trinity College Dublin, Ireland* 

J. Macklin Trinity College Dublin, Ireland

**A. Trias-Blasi** *Trinity College Dublin, Ireland* 

**A. Prajaksood** *Trinity College Dublin, Ireland* 

**P. Bygrave** Royal Botanical Gardens, UK **S. Dransfield** *Royal Botanical Gardens, UK* 

**D.W. Kirkup** *Royal Botanical Gardens, UK* 

J. Moat Royal Botanical Gardens, UK

**P. Wilkin** *Royal Botanical Gardens, UK* 

**C. Couch** *Royal Botanical Gardens, UK* 

**P.C. Boyce** Universiti Sains Malaysia, Malaysia

**K. Chayamarit** Thailand Botanical Garden Association, Thailand

**P. Chantaranothai** *Khon Kaen University, Thailand* 

H-J. Esser Botanische Staatssammlung München, Germany

M.H.P. Jebb Ireland National Botanical Gardens, Ireland

DOI: 10.4018/978-1-60960-619-0.ch011

**K. Larsen** University of Aarhus, Denmark

**S.S. Larsen** University of Aarhus, Denmark

I. Nielsen University of Aarhus, Denmark

**C. Meade** *National University of Ireland, Ireland* 

**D.J. Middleton** Scotland Royal Botanical Garden, UK

**C.A. Pendry** Scotland Royal Botanical Garden, UK

**A.M. Muasya** University of Cape Town, South Africa **N. Pattharahirantricin** Thailand Department of National Parks, Thailand

**R. Pooma** Thailand Department of National Parks, Thailand

**S. Suddee** Thailand Department of National Parks, Thailand

**G.W. Staples** Singapore Botanic Gardens, Singapore

> **S. Sungkaew** *Kasetsart University, Thailand*

**A. Teerawatananon** Thailand National Science Museum, Thailand

## ABSTRACT

Two databases containing distribution data of species and specimens show that within Thailand preferably four floristic or phytogeographical regions can be discriminated (areas with a typical, unique and distinct plant composition): the Southern, Northern, Eastern and Central Region. They differ from the seven regions used at present in the Flora of Thailand Project. Modelling the effects of slight climate changes due to global warming shows that the floristic regions will be different in 2050. Not only will the areas differ, but the numbers of species per area will decrease dramatically, although species from outside Thailand may migrate into Thailand. Predictions contain a high degree of uncertainty, and they may never come true as they are strongly influenced by small, currently unpredictable effects. Nevertheless, the loss of biodiversity and its consequences for climate, economies, health, et cetera, are already becoming noticeable. Therefore, the protection and improvement of biodiversity should become the main focus of attention for all governments in the region.

### **1. INTRODUCTION**

Species are generally not randomly distributed. Plants and animals originate via evolution and this always happens in a geographically restricted area. Thus, it is not surprising that man has searched for patterns in these distributions, that is in the areas in which species are found. One means of finding these patterns is to examine if certain areas can be characterized by species which are in combination typical for the area. The resulting regions are called, in the case of plants, floristic or phytogeographical regions. Usually, a country/ continent is completely subdivided into these areas and these are mutually exclusive. 27 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/current-future-status-floristic-provinces/53754

## **Related Content**

#### Application of Hierarchical Visualization Techniques in Meta-Analysis Data

Bruna Rossetto Delazeri, Felipe Paes Gusmão, Simone Nasser Matos, Alaine Margarete Guimarãesand Marcelo Giovanetti Canteri (2018). *International Journal of Agricultural and Environmental Information Systems (pp. 1-15).* 

www.irma-international.org/article/application-of-hierarchical-visualization-techniques-in-meta-analysis-data/192192

#### Vortex Effect, Vortex Power: Technology of Vortex Power Engineering

Serebryakov Rudolf, Vladimir Vasilyevich Biryukand Vyacheslav Volov (2018). *Handbook of Research on Renewable Energy and Electric Resources for Sustainable Rural Development (pp. 500-533).* www.irma-international.org/chapter/vortex-effect-vortex-power/201351

#### LLC Converter Based PV Water Pumping System With Enhanced User Safety Approach

Anuradha Tomar (2021). International Journal of Agricultural and Environmental Information Systems (pp. 1-12).

www.irma-international.org/article/llc-converter-based-pv-water-pumping-system-with-enhanced-user-safetyapproach/274050

#### Sustainable Urban Development

Suharto Teriman, Tan Yigitcanlarand Severine Mayere (2011). *Green Technologies: Concepts, Methodologies, Tools and Applications (pp. 171-185).* 

www.irma-international.org/chapter/sustainable-urban-development/51696

#### Identification of Priority Areas for Conservation in Lake Egirdir and Lake Kovada, Turkey

Mustafa Özgür Berke, Ercan Sütlü, Basak Avciogluand Engin Gem (2013). *Transactional Environmental Support System Design: Global Solutions (pp. 199-202).* 

www.irma-international.org/chapter/identification-priority-areas-conservation-lake/72917