

## Chapter 3.22

# Always–On Enterprise Information Systems with Service Oriented Architecture and Load Balancing

**Serdal Bayram**  
*Siemens, Turkey*

**Melih Kırıldoğ**  
*Marmara University, Turkey*

**Özalp Vayvay**  
*Marmara University, Turkey*

### ABSTRACT

In today's world, it is essential for a business to provide a seamless and continuous service to its customers. Such an always-on service is required, not only for the strong competitive environment but also because of the fact that most the customers also have to offer seamless and continuous service to their own customers. In this chain, failure of one of the systems even for a short time can result in a disaster in the entire service chain. A wise approach to provide a continuous service should consider all possible failure areas in a computer-based information system. Since hardware and software are vulnerable to a myriad of problems

that can halt the normal operation of a system, an ideal solution should not only consider both of these two components, but also should seek to find ways for them to work in support of each other against a malfunction. This chapter is an attempt to develop a model that provides this functionality. Service oriented architecture (SOA) is implemented in the model due to its tenets that are suitable for such functionality.

### INTRODUCTION

Due to the ever-increasing reliance of the society on the Enterprise Information Systems (EIS), these systems need to be up and running all the

DOI: 10.4018/978-1-60566-723-2.ch006

time. Malfunction even for a short time can have disastrous consequences in many environments such as banks where almost all of the processes are performed through the IS round-the-clock. This situation is aggravated by the competitive environment where service consumers have the power of shifting into another service provider in the slightest flaw of satisfaction. The activities and services can be easily imitated by competitors thanks to the ever-increasing standardization of IS that perform these activities and services.

Hence, offering a continuous service is of utmost importance for today's businesses where undisruptive service means lack of failure of IS on which the services depend. However, due to the inherent fragility of IS, there are myriad of factors that have the potential of disrupting the smooth running of these systems. Since IS have mainly two distinct components, namely hardware and software, it is plausible to scrutinize potential failure reasons in these two distinct components where potential failure areas are different from each other. This chapter proposes a model that aims continuous EIS operation in terms of hardware and software components where these components work in tandem. The model uses Service Oriented Architecture (SOA) as an important component of the software side of the model. This chapter is organized as follows: SOA, which is implemented as the main software component of the model is described in the following section. That section will also cover the Quality of Service (QoS) and Enterprise Service Bus (ESB) concepts of SOA due to their relevancy to the proposed model. Hardware component of the model and the Load Balancer will be described in the following section which will be followed by the section which describes the tandem working of SOA and Load Balancer. A case study that has been developed by the model will be explained next and the chapter will terminate with the conclusion.

## **SOFTWARE COMPONENT: SERVICE ORIENTED ARCHITECTURE**

Although SOA can be defined in several ways, all definitions can be categorized in two main perspectives, namely business perspective and technical perspective. Business perspective can be analyzed in terms of business processes and business services, whereas technical perspective can be analyzed in terms of software components and operational resources. The two perspectives, their components, and their interrelationships are illustrated in the Figure 1.

From the business perspective, which is seen as top level in the figure, SOA is an architectural style that guides all aspects of creating and using business processes (Newcomer & Lomow, 2005). In this view, business processes and their management are highlighted and Business Process Management (BPM) concept arises. BPM can be defined as the method of efficiently aligning an organization with the wants and needs of clients. Business perspective contains the interaction between business services and business processes. A business process can contain one or more business services, and a business service can be used in one or more business processes.

The technical perspective is depicted in the lower half of the figure. According to this perspective, SOA can be defined as a kind of distributed computing that is designed to allow the communication of software components, namely services, across a network. In this view, services are performed by software components and SOA contains interactions of these software components in a distributing computing environment. Under services, there are some operational resources such as database servers or mainframes. At a higher level of abstraction, business processes and services are implemented through the technical level which contains software components and operational resources.

16 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/always-enterprise-information-systems-service/54520](http://www.igi-global.com/chapter/always-enterprise-information-systems-service/54520)

## Related Content

---

### A Framework for Business Performance Management

Marco van der Kooij (2008). *Information Communication Technologies: Concepts, Methodologies, Tools, and Applications* (pp. 2933-2949).

[www.irma-international.org/chapter/framework-business-performance-management/22855](http://www.irma-international.org/chapter/framework-business-performance-management/22855)

### User-Centred Design and Evaluation of Information Architecture for Information Systems

André de Lima Salgado, Fabrício Horácio Sales Pereira and André Pimenta Freire (2016). *Handbook of Research on Information Architecture and Management in Modern Organizations* (pp. 219-236).

[www.irma-international.org/chapter/user-centred-design-and-evaluation-of-information-architecture-for-information-systems/135769](http://www.irma-international.org/chapter/user-centred-design-and-evaluation-of-information-architecture-for-information-systems/135769)

### Histogram Generation from the HSV Color Space

Shamik Sural, A. Vadiveland A. K. Majumdar (2005). *Encyclopedia of Information Science and Technology, First Edition* (pp. 1333-1337).

[www.irma-international.org/chapter/histogram-generation-hsv-color-space/14434](http://www.irma-international.org/chapter/histogram-generation-hsv-color-space/14434)

### Keystroke Dynamics and Graphical Authentication Systems

Sérgio Tenreiro de Magalhães, Henrique M.D. Santos, Leonel Duarte dos Santos and Kenneth Revett (2009). *Encyclopedia of Information Science and Technology, Second Edition* (pp. 2313-2318).

[www.irma-international.org/chapter/keystroke-dynamics-graphical-authentication-systems/13904](http://www.irma-international.org/chapter/keystroke-dynamics-graphical-authentication-systems/13904)

### Rational or Emotional User: The Dual Processing Approach to Understanding Continuance Usage

Edgardo Bravo and Jhony Ostos (2023). *Information Resources Management Journal* (pp. 1-20).

[www.irma-international.org/article/rational-or-emotional-user/325241](http://www.irma-international.org/article/rational-or-emotional-user/325241)