

Chapter 4

Advancement on Damage-Less Watermark Extraction Using Non- Linear Feature Extraction Scheme Trained on Frequency Domain

Kensuke Naoe
Keio University, Japan

Yoshiyasu Takefuji
Keio University, Japan

ABSTRACT

In this chapter, we propose a new information hiding and extraction scheme for the application in digital watermarking, which does not embed any data to target content, by using non-linear feature extraction scheme trained on frequency domain. This is done by processing the selected coefficients from the selected feature sub-blocks as an input vector to the trained neural network and observing output signal from the neural network. This output signal is used as watermark signal which distinguishes its image from other images. This model trains an artificial neural network to assign predefined secret code for corresponding input feature vector of an image and use this trained artificial neural network weight and the coordinates of the selected feature sub-blocks as a key to extract the predefined secret code.

DOI: 10.4018/978-1-61350-135-1.ch004

Advancement on Damage-Less Watermark Extraction

The proposed method contributes to secure image digital watermarking for content identification without damaging or losing any detailed data of visual images. The features of our proposed method employ an application to authenticate multimedia, similarity comparison, verification of image integrity and copyright protection of multimedia contents.

INTRODUCTION

In this chapter, a new model of digital watermarking is proposed, which do not embed any data into the image but are able to extract meaningful data from the image. This is done by processing the coefficients of the selected feature sub blocks to the trained neural network. This model trains artificial neural network to assign predefined secret code and use the artificial neural network weight and the coordinates of the selected feature sub blocks as a key to extract the predefined code. This means that it would not damage the content at all.

Our method consists of three layers for information hiding and retrieval method. First, the proposed method of key generation is to extract certain type of bit patterns in the forms of visual features out of visual objects or data as training data set for machine learning of watermark signal. Second, the proposed method of watermark extraction is processed by presenting visual features of the target visual image into extraction key or herein is a classifier generated in advance by the training approach of machine learning technology. Third, the training approach is to generate the extraction key which is conditioned to generate watermark signal patterns only if proper visual features are presented to the classifier. In our proposed method, this classifier which is generated by the machine learning process is used as watermark extraction key. The discussed watermark extraction key and feature extraction key identify the related or associated hidden bit patterns which is the watermark signal values for proper digital watermark embedding and extraction procedure as shown in Figure 1 and 2.

The proposed method is to hide or relate bit patterns of visual information as training data set for machine learning and to generate classifiers as watermark extraction key. These hidden bit patterns are prepared in advance to the training of classifiers which will eventually generates the associated visual information as watermark signals. This trained classifier acts as watermark extraction key. The feature extraction keys generate the feature values necessary for generation of watermark extraction keys. The feature extraction keys contain visual information including feature coordinates and regions of frequency coefficients. Machine learning also generates classifiers as watermark extraction keys. The discussed watermark extraction key and feature extraction key identify the secure and unique hidden bit

33 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/advancement-damage-less-watermark-extraction/60553

Related Content

Standardization and Innovation Policies in the Information Age

Ken Krechmer (2004). *International Journal of IT Standards and Standardization Research* (pp. 49-60).

www.irma-international.org/article/standardization-innovation-policies-information-age/2559

How High-Technology Start-Up Firms May Overcome Direct and Indirect Network Externalities

Mark Pruett, Hun Lee, Ji-Ren Lee and Donald O'Neal (2006). *Advanced Topics in Information Technology Standards and Standardization Research, Volume 1* (pp. 306-320).

www.irma-international.org/chapter/high-technology-start-firms-may/4669

On the Scientific Foundations of Enterprise Interoperability: The ENSEMBLE Project and Beyond

Yannis Charalabidis, Fenareti Lampathaki and Ricardo Jardim-Goncalves (2015). *Standards and Standardization: Concepts, Methodologies, Tools, and Applications* (pp. 108-127).

www.irma-international.org/chapter/on-the-scientific-foundations-of-enterprise-interoperability/125288

Standardising the Internet of Things: What the Experts Think

Kai Jakobs, Thomas Wagner and Kai Reimers (2011). *International Journal of IT Standards and Standardization Research* (pp. 63-67).

www.irma-international.org/article/standardising-internet-things/50575

Unified Citation Management and Visualization Using Open Standards: The Open Citation System

Mark Ginsburg (2004). *International Journal of IT Standards and Standardization Research* (pp. 23-41).

www.irma-international.org/article/unified-citation-management-visualization-using/2555