

Chapter 2.17

Petri Net Based Deadlock Prevention Approach for Flexible Manufacturing Systems

Chunfu Zhong

Xidian University, People's Republic of China

Zhiwu Li

Xidian University, People's Republic of China

ABSTRACT

In flexible manufacturing systems, deadlocks usually occur due to the limited resources. To cope with deadlock problems, Petri nets are widely used to model these systems. This chapter focuses on deadlock prevention for flexible manufacturing systems that are modeled with S^4R nets, a subclass of generalized Petri nets. The analysis of S^4R leads us to derive an iterative deadlock prevention approach. At each iteration step, a non-max-controlled siphon is derived by solving a mixed integer linear programming. A monitor is constructed for the siphon such that it is max-controlled. Finally, a liveness-enforcing Petri net supervisor can be derived without enumerating all the strict minimal siphons.

BACKGROUND

Due to fierce market competition, flexible manufacturing systems (FMS) have been widely accepted by manufacturers so that they may be able to quick respond to market changes. In an FMS, resources, such as machine tools, automated guided vehicles, robots, buffers, and fixtures, are

always shared by a number of jobs such that they may be made the best of. While different jobs are executed concurrently, they have to compete for the limited resources. If each of a set of two or more jobs keeps waiting indefinitely for the other jobs in the set to release resources, the jobs might never be finished. This situation, called deadlock, is highly undesirable in an FMS (Zhou Venkatesh, 1998). Deadlock and related blocking phenomena often cause unnecessary costs, such as

DOI: 10.4018/978-1-61350-456-7.ch2.17

long downtime and low use of some critical and expensive resources, and may lead to catastrophic results in some highly automated manufacturing systems (Fanti & Zhou, 2004), such as semiconductor production systems. Therefore, it is necessary to develop an effective FMS control policy to make sure that deadlocks will never occur in such systems. The problem of deadlock in an FMS has attracted many researchers' attention (Abdallah & ElMaraghy, 1998)(Ferrarini & Maroni, 1998) (Giua & Seatzu, 2002)(Hsieh & Chang, 1994)(Huang, Jeng, Xie & Chung, 2001) (Jeng, Xie & Chung, 2004)(Lawley, Reveliotis & Ferreira, 1998)(Li & Shou, 2004)(Li, Zhou & Wu, 2008)(Park & Reveliotis, 2001)(Reveliotis, 2003)(Roszkowska, 2004)(Uzam, 2002).

Petri nets have been widely used to model a variety of resource allocation systems including FMS. They are well suited to depict the behavior of an FMS, such as concurrency, conflict and causal dependency. A powerful feature of Petri nets is their ability to represent good behavior properties of the system such as liveness and boundedness (Abdallah & ElMaraghy, 1998)(Chu & Xie, 1997). Using Petri nets, there are mainly three approaches to deal with the problem of deadlocks in FMS: deadlock detection and recovery (Leung & Sheen, 1993), deadlock avoidance (Fanti, Maione, Mascolo & Turchiano, 1997)(Ferrarini & Maroni, 1998)(Hsieh & Chang, 1994)(Lawley, Reveliotis & Ferreira, 1998)(Park & Reveliotis, 2001)(Roszkowska, 2004)(Wu & Zhou, 2001) (Yim, Kim & Woo, 1997), and deadlock prevention (Abdallah & ElMaraghy, 1998)(Ezpeleta, Colom, & Martinez, 1995)(Giua & Seatzu, 2002)(Huang, Jeng, Xie & Chung, 2001)(Li & Shou, 2004) (Li, Uzam & Zhou, 2004)(Li & Zhou, 2006)(Li, Zhang & Zhao, 2007)(Li, Zhou & Wu, 2008)(Li & Zhao, 2008)(Uzam, 2002)(Uzam, 2004)(Zhou & DiCesare, 1992). In this chapter we focus on deadlock prevention.

Deadlock prevention is usually achieved by using an off-line computational mechanism to control the requests for resources to ensure that

deadlocks never occur. Hence a deadlock prevention approach is to impose constraints on a system such that it can never reach deadlock states. For the Petri net model of a system, monitors and related arcs are added to the original net to realize such a mechanism (Abdallah & ElMaraghy, 1998)(Ezpeleta, Colom, & Martinez, 1995)(Li & Shou, 2004)(Li, Zhou & Wu, 2008). This implies that both a plant model and its supervisor are in a Petri net formalism.

As a special structure, siphons are related to the liveness of a Petri net model, which has been widely used in the characterization and prevention/avoidance of deadlock situations. However, their computation can be very time-consuming or even impossible when a net is too large in size. Many researchers have considered a variety of ways for finding siphons, which are based on inequalities (Ezpeleta, Colom, & Martinez, 1995), logic equations (Kinuyama & Murata, 1986), linear algebra and invariants (Lautenbach, 1987), linear equations with slack variables (Ezpeleta, Couvreur & Silva, 1991), parallel algorithms (Tricas & Ezpeleta, 2006), and the direct application of the definition of siphons (traps) to the sign incidence matrix (Boer & Murata, 1994). However efficient computation of all the minimal siphons for a large-size net is still very difficult.

When all the strict minimal siphons are obtained, a deadlock prevention policy in (Ezpeleta, Colom, & Martinez, 1995) is developed based on the addition of a new monitor place for each strict minimal siphon to prevent the presence of unmarked siphons. Then a liveness-enforcing Petri net supervisor is derived. In the policy all the strict minimal siphons in a net model should be computed first. In (Li & Shou, 2004) Li and Zhou propose a method based on the concept of elementary and dependant siphons. The elementary siphons in a net model are explicitly controlled only, which greatly decrease the number of monitors. However they need compute all the strict minimal siphons. To avoid enumerating all the strict minimal siphons, in (Huang, Jeng, Xie

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/petri-net-based-deadlock-prevention/62458

Related Content

Optimum Design of Reinforced Concrete Retaining Walls

Rasim Temürand Gebrail Bekda (2018). *Handbook of Research on Predictive Modeling and Optimization Methods in Science and Engineering* (pp. 360-378).

www.irma-international.org/chapter/optimum-design-of-reinforced-concrete-retaining-walls/206757

Analysis of Cyber-Attacks Against the Transportation Sector

Brett van Niekerk (2018). *Cyber Security and Threats: Concepts, Methodologies, Tools, and Applications* (pp. 1384-1402).

www.irma-international.org/chapter/analysis-cyber-attacks-against-transportation/203567

Analytical Study on Bug Triaging Practices

Anjali Goyal and Neetu Sardana (2021). *Research Anthology on Recent Trends, Tools, and Implications of Computer Programming* (pp. 1068-1094).

www.irma-international.org/chapter/analytical-study-on-bug-triaging-practices/261069

SLO-Driven Monitoring and Adaptation of Multi-Cloud Service-Based Applications

Chrysostomos Zeginis, Kyriakos Kritikos and Dimitris Plexousakis (2018). *Multidisciplinary Approaches to Service-Oriented Engineering* (pp. 43-65).

www.irma-international.org/chapter/slo-driven-monitoring-and-adaptation-of-multi-cloud-service-based-applications/205293

Design Features of High-Performance Multiprocessor Computing Systems

Gennady Shvachych, Nina Rizun, Olena Kholod, Olena Ivaschenko and Volodymyr Busygin (2019). *Cases on Modern Computer Systems in Aviation* (pp. 381-401).

www.irma-international.org/chapter/design-features-of-high-performance-multiprocessor-computing-systems/222197