Chapter 8 On Hierarchical Content–Based Image Retrieval by Dynamic Indexing and Guided Search

Jane You The Hong Kong Polytechnic University, China

Qin Li The Hong Kong Polytechnic University, China

Jinghua Wang The Hong Kong Polytechnic University, China

ABSTRACT

This paper presents a new approach to content-based image retrieval by using dynamic indexing and guided search in a hierarchical structure, and extending data mining and data warehousing techniques. The proposed algorithms include a wavelet-based scheme for multiple image feature extraction, the extension of a conventional data warehouse and an image database to an image data warehouse for dynamic image indexing. It also provides an image data schema for hierarchical image representation and dynamic image indexing, a statistically based feature selection scheme to achieve flexible similarity measures, and a feature component code to facilitate query processing and guide the search for the best matching. A series of case studies are reported, which include a wavelet-based image color hierarchy, classification of satellite images, tropical cyclone pattern recognition, and personal identification using multi-level palmprint and face features. Experimental results confirm that the new approach is feasible for content-based image retrieval.

INTRODUCTION

Cognitive informatics is a multidisciplinary research area, which studies not only how human brains and minds internally process information but also their engineering applications. It covers the Object-Attribute-Relation (OAR) model of information representation in the brain (Wang, 2007b; Wang & Wang, 2006), the cognitive processes of formal inferences (Wang, 2007a), the formal knowledge system (Wang, 2006a), and so on.

Image retrieval is an important part of multimedia systems and requires an integration of research in

DOI: 10.4018/978-1-4666-1743-8.ch008

image understanding, artificial intelligence and databases to address the problem of information retrieval from large collections of images and video frames. The developments in this area are summarized in Antani, Kasturi, and Jain (2002) and Rui, Huang, and Chang (1999). In general, image retrieval approaches fall into two categories: attribute-based methods and content-based methods. Examples of such methods include the Kodak Picture Exchange System (KPX) (Larish, 1995) and the PressLink library (Martucci, 1995). Examples of content-based image retrieval systems include QBIC (Flickner et al., 1995), Virage, Photobook (Pentland, Picard, & Sclaroff, 1996), CANDID (Kelley, Cannon, & Hush, 1995) and Garlic (Cody et al., 1995). The current content-based and object-oriented methods cannot process abstract queries, and multiple image features are not integrated for similarity measures. In addition, they are computationally expensive and somewhat domain dependent.

Applications on the World-Wide Web require a multimedia system with scalability, flexibility and efficiency. Although some existing systems, such as WebSeek and C-BIRD (Smith & Chang, 1997), support both attribute-based queries and contentbased queries, they employ limited visual features for retrieval and they lack a general approach to deal with multiple features for indexing and query. Moreover, these systems cannot handle audio data for a comprehensive multimedia system. The MARS (Multimedia Analysis and Retrieval System) project (Huang & Naphade, 2000) aims to bridge the gap between the low-level features and the high-level semantic concepts. However, the challenges faced by new techniques for processing and analyzing multimedia information remain untackled, and the traditional analysis of image data alone cannot provide satisfactory solutions to these problems. Most of the existing techniques for multimedia information retrieval are based on the use of conventional database structures to handle large collections of high-dimensional multimedia data. Although the research on multimedia database systems (Flickner et al., 1995; Antani, Kasturi, & Jain, 2002) has made advances in the creation of large multimedia databases with effective facilities for query processing, that work has mainly focused on data modeling and structuring.

The main contributions of this paper may be summarized as follows: this paper proposed an image data warehouse structure and a new image data model to support multiple image feature extraction and integration, which allows dynamic query processing and hierarchical content-based image retrieval. The proposed data warehousing model will allow users to combine multiple image features in a top-down manner to facilitate image representation, indexing and search. Instead of using a fixed similarity measurement to search for the best matching, this paper adopted a statistically based feature selection scheme that generates the matching criteria in accordance with the type of query and the level of search. In addition, this paper introduced a feature component code to guide the coarse-to-fine search in a hierarchical structure. To demonstrate the feasibility and the advantages of our approach, the proposed algorithms are applied to several case studies.

This paper is organized by outlining the proposed concept of an image data warehouse for dynamic image indexing and compares it with the traditional image database structure. Next the authors summarize a general approach to multiple image feature extraction and representation, which is based on the wavelet transform. Then, a flexible scheme for feature selection and integration is introduced. The strategy for hierarchical search is described in following that, and then a series of case studies are reported. Finally, the conclusion is presented.

IMAGE DATA WAREHOUSE

Background

In general, the three key issues in multimedia information retrieval are feature representation and indexing, similarity measures, and searching 16 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/hierarchical-content-based-image-retrieval/66442

Related Content

Development of an Ontology for an Industrial Domain

Christine W. Chan (2009). Novel Approaches in Cognitive Informatics and Natural Intelligence (pp. 277-291).

www.irma-international.org/chapter/development-ontology-industrial-domain/27314

The Theoretical Framework of Cognitive Informatics

Yingxu Wang (2007). International Journal of Cognitive Informatics and Natural Intelligence (pp. 1-27). www.irma-international.org/article/theoretical-framework-cognitive-informatics/1526

An Evaluation Method of Relative Reducts Based on Roughness of Partitions

Yasuo Kudoand Tetsuya Murai (2012). Developments in Natural Intelligence Research and Knowledge Engineering: Advancing Applications (pp. 305-314).

www.irma-international.org/chapter/evaluation-method-relative-reducts-based/66456

An Energy Computing Method Inspired from Visual Cognitive Function for Dynamic Behavioural Detection in Video Frames

Zuojin Li, Jun Peng, Liukui Chen, Chen Guiand Lei Song (2014). *International Journal of Cognitive Informatics and Natural Intelligence (pp. 1-12).*

www.irma-international.org/article/an-energy-computing-method-inspired-from-visual-cognitive-function-for-dynamicbehavioural-detection-in-video-frames/130767

A Denotational Semantics of Real-Time Process Algebra (RTPA)

Yingxu Wangand Xinming Tan (2010). *Discoveries and Breakthroughs in Cognitive Informatics and Natural Intelligence (pp. 200-217).*

www.irma-international.org/chapter/denotational-semantics-real-time-process/39266