Global Stability Analysis for Complex–Valued Recurrent Neural Networks and Its Application to Convex Optimization Problems

Mitsuo Yoshida Kyoto Institute of Technology, Japan

Takehiro Mori Kyoto Institute of Technology, Japan

ABSTRACT

Global stability analysis for complex-valued artificial recurrent neural networks seems to be one of yet-unchallenged topics in information science. This chapter presents global stability conditions for discrete-time and continuous-time complex-valued recurrent neural networks, which are regarded as nonlinear dynamical systems. Global asymptotic stability conditions for these networks are derived by way of suitable choices of activation functions. According to these stability conditions, there are classes of discrete-time and continuous-time complex-valued recurrent neural networks whose equilibrium point is globally asymptotically stable. Furthermore, the conditions are shown to be successfully applicable to solving convex programming problems, for which real field solution methods are generally tedious.

INTRODUCTION

Recurrent neural networks whose neurons are fully interconnected have been utilized to implement associative memories and solve optimization problems. These networks are regarded as nonlinear dynamical feedback systems. Stability properties of this class of dynamical networks are an important issue from applications point of view.

On the other hand, several models of neural networks that can deal with complex numbers, the complex-valued neural networks, have come to forth in recent years. These networks have states, connection weights, and activation functions, which are all complex-valued. Such networks have been studied in terms of their abilities of information processing, because they possess attractive features which do not exist in their real-valued counterparts (Hirose, 2003; Kuroe, Hashimoto & Mori, 2001, 2002; Kuroe, Yoshida & Mori, 2003; Nitta, 2000; Takeda & Kishigami, 1992; Yoshida, Mori & Kuroe, 2004; Yoshida & Mori, 2007). Generally, activation functions of neural networks crucially determine their dynamic behavior. In complex-valued neural networks, there is a greater choice of activation functions compared to real-valued networks. However, the question of appropriate activation functions has been paid insufficient attention to in the past.

Local asymptotic stability conditions for complex-valued recurrent neural networks with an energy function defined on the complex domain have been studied earlier and synthesis of complex-valued associative memories has been realized (Kuroe et al., 2001, 2002). However, studies on their application to *global* optimization problems and theoretical analysis for *global* asymptotic stability conditions remain yet-unchallenged topics.

The purpose of this chapter is to analyze global asymptotic stability for complex-valued recurrent neural networks. Two types of complex-valued recurrent neural networks are considered: discrete-time model and continuous-time model. We present global asymptotic stability conditions for both models of the complex-valued recurrent neural networks. To ensure global stability, classes of complex-valued functions are defined as the activation functions, and therewith several stability conditions are obtained. According to these conditions, there are classes of discrete-time and continuous-time complex-valued recurrent neural networks whose common equilibrium point is globally asymptotically stable. Furthermore, the obtained conditions are shown to be successfully applicable to solving convex programming problems.

The chapter is organized as follows. In Background, a brief summary of applications to associative memories and optimization problems in real-valued recurrent neural networks is presented. Moreover, results on stability analysis and applications of these real-valued neural networks are introduced. Next, models of discrete-time and continuous-time complex-valued neural networks are described. For activation functions of these networks, two classes of complex-valued function are defined. In the next section, global asymptotic stability conditions for the discrete-time and continuous-time complex-valued neural networks are proved, respectively. Some discussions thereof are also given. Furthermore, applications of complex-valued neural networks to convex programming problems with numerical examples are shown in the subsequent section. Finally, concluding remarks and future research directions are given.

Before going into the body of the chapter, we first list the glossary of symbols. In the following, the sets of $n \times m$ real and complex matrices are defined by $\mathbf{R}^{n\times m}$, $\mathbf{C}^{n\times m}$, respectively. \mathbf{I}_n denotes the identity matrix in $\mathbf{R}^{n\times n}$. \mathbf{R}_+ means the nonnegative space in \mathbf{R} defined by $\mathbf{R}_+ = \{x \mid x \in \mathbf{R}, x \ge 0\}$. For a complex number $x \in \mathbf{C}, |x|$ stands for the absolute value, and \overline{x} is the complex conjugate number. Re(x) denotes the real part of $x \in \mathbf{C}$, and Im(x) denotes the imaginary part of $x \in \mathbf{C}$. For any pair of complex numbers $x, y \in \mathbf{C}, \langle x, y \rangle$ denotes the inner product defined by $\langle x, y \rangle = \overline{x}y$. For a vector $\mathbf{x} \in \mathbf{C}^n$, $\|\mathbf{x}\|$ means the Euclidean norm defined by $\|\mathbf{x}\|^2 = \mathbf{x}^* \mathbf{x}$. For a complex matrix $\mathbf{X} \in \mathbf{C}^{n\times m}$ represented by $\mathbf{X} = \{x_{ij}\}, \mathbf{X}^t$ and \mathbf{X}^* denotes the transpose and conjugate transpose, respectively. If $\mathbf{X} \in \mathbf{C}^{n\times m}$ is a Hermitian matrix ($\mathbf{X} = \mathbf{X}^*$), $\mathbf{X} > 0$ denotes that \mathbf{X} is positive definite. $\lambda_{\min}(\mathbf{X})$ and $\lambda_{\max}(\mathbf{X})$ represent the minimum and the maximum eigenvalue of a Hermitian matrix \mathbf{X} , respectively. I \mathbf{X} | represents the element-wise absolute-value matrix defined by $\|\mathbf{X}\|_{=} \{\|x_{ij}\|\}$, and $\|\mathbf{X}\|_{2}$ is the induced matrix 2-norm defined by $\|\mathbf{X}\|_{2} = \sqrt{\lambda_{\max}(\mathbf{X}^*\mathbf{X})}$. Suppose that \mathbf{X} is an $n \times n$ real matrix with nonnegative off-diagonal elements, then \mathbf{X} is a nonsingular M-matrix if and only if all principal minors of \mathbf{X} are positive.

BACKGROUND

Proposals of models for neural networks and its applications by Hopfield et al. have triggered the research interests of neural networks in the last two decades (Hopfield, 1984; Hopfield & Tank, 1985; Tank & Hopfield, 1986). They introduced the idea of an energy function to formulate a way of understanding the computational ability that performed by fully connected recurrent neural networks. The energy functions have been applied to vari17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/global-stability-analysis-complex-valued/6766

Related Content

Application of Artificial Neural Networks to Estimate Tensile Strength of Austenitic Stainless Steel During Metal Inert Gas Welding Process

Sudipto Chakiand Dipankar Bose (2021). Artificial Neural Network Applications in Business and Engineering (pp. 197-221).

www.irma-international.org/chapter/application-of-artificial-neural-networks-to-estimate-tensile-strength-of-austeniticstainless-steel-during-metal-inert-gas-welding-process/269587

Formalization and Discrete Modelling of Communication in the Digital Age by Using Graph Theory

Radi Petrov Romansky (2020). Handbook of Research on Advanced Applications of Graph Theory in Modern Society (pp. 320-353).

www.irma-international.org/chapter/formalization-and-discrete-modelling-of-communication-in-the-digital-age-by-usinggraph-theory/235542

Artificial Neural Network for Markov Chaining of Rainfall Over India

Kavita Pabreja (2022). *Research Anthology on Artificial Neural Network Applications (pp. 1130-1145).* www.irma-international.org/chapter/artificial-neural-network-for-markov-chaining-of-rainfall-over-india/289003

Convolutional Neural Network

Mário Pereira Véstias (2022). Research Anthology on Artificial Neural Network Applications (pp. 1559-1575).

www.irma-international.org/chapter/convolutional-neural-network/289029

Application of Multiple Regression and Artificial Neural Networks as Tools for Estimating Duration and Life Cycle Cost of Projects

Brian J. Galli (2022). *Research Anthology on Artificial Neural Network Applications (pp. 509-540).* www.irma-international.org/chapter/application-of-multiple-regression-and-artificial-neural-networks-as-tools-forestimating-duration-and-life-cycle-cost-of-projects/288973