

Chapter 14

Towards High Maturity in SaaS Applications Based on Virtualization: Methods and Case Study

Shijun Liu

Shandong University, China

Yong Zhang

Shandong University, China

Xiangxu Meng

Shandong University, China

ABSTRACT

This paper proposes a high level maturity in SaaS applications based on virtualization technologies, in which the hardware virtualization focuses on providing the flexible on-demand hosting environment, the application virtualization used to meet the scalable application deployment requirements and data virtualization solves data integration and unified data access problems to ensure multi-tenant efficiency. In order to realize the configurability, a method based on metadata and JMX is used to manage the metadata so that changed metadata can be hot deployed immediately during runtime. A case study of a SaaS application for supply business in automobile industry is introduced with the discussion of approaches to higher level maturity model.

DOI: 10.4018/978-1-4666-2649-2.ch014

INTRODUCTION

In modern manufacturing field, such as automobile industry, an entire manufacturing process often cooperated by assembly factory and part suppliers. Agile Supply Chain Management increasingly becomes an effective and important measure to enhance competitive advantage of enterprises that needs the support of agile information system to integrate their supply chain more effectively and quickly (Tarokh et al., 2007).

With the rapid development of software and network technology, SaaS (Software as a Service) (Dubey & Wagle, 2007) has been widely accepted as a popular way to carry out the software service delivery. SaaS applications have been adopted by more and more enterprises. Despite the slumping worldwide economy, the adoption of SaaS is growing and evolving in the enterprise application software markets, including customer relationship management (CRM), enterprise resource planning (ERP) and supply chain management (SCM) (Guseva, 2008).

SaaS model offers many advantages for software customers. Instead of software licenses, maintenance and operational costs that occur in the traditional on-premise model, companies consume IT-services in SaaS model can use the software on demand, just like they would use any other utility such as electricity or water. SaaS user pays only for the usage of the software for example in a pay-per-usage model.

One central advantage of the SaaS model for hosting providers is that they can exploit economies of scale by offering the same software as a service to different customers in the same computing environment and thus increase the utilization of the corresponding IT infrastructure. In order to be consumed in a one-to-many way, the software must be built following the model of a multi-tenant architecture. Multi-tenancy means that the software behaves for every tenant as if each customer was running a separate instance

of the software. However, since each customer is different, the application must be customizable to meet the needs of each particular customer. In general, applications can be scaled up by moving the application to a larger, more powerful server and scaled out by running the application on more servers. SaaS applications have to serve a very large number of concurrent users, so scaling out is almost always the best way to add capacity. The ability to rapidly scale a SaaS application can often mean the difference between success and failure for a SaaS provider.

A well-designed SaaS application is generally distinguished by mainly three qualities: scalability, configurability, and multi-tenant efficiency (Chong & Carraro, 2006). But to reach the high level of maturity several problems must be solved. Firstly, to scale a SaaS application to an arbitrarily large number of customers, the number of servers, storages and instances on the back end must could be increased, decreased or migrated as necessary to match demand, without requiring additional re-architecting of the application. Secondly, to provide high configurable to a SaaS application means not only the individual customized interface but also the functions and data structures. Moreover, how to custom is different if the instance is described from different scratch lines. Multi-tenant-efficient means changes or fixes to a SaaS application can be rolled out to thousands of tenants as easily as a single tenant, which depends on an apparent, distributed and liable hosting environment. The solution of these problems requires a new framework and technology, where virtualization technology could be used.

In this paper, we provide an architecture to ensure high maturity of SaaS applications, in which metadata and JMX (Java Management Extensions) (Beng & Sullins, 2003) are used to realize the configurability, scalability is discussed both in application layer and data layer, and data virtualization is the applied to maintain the accuracy and consistence in transparent data storage.

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/towards-high-maturity-saas-applications/72552

Related Content

Hybrid Segmentation Prototype for Arabic Text-Based Documents: Towards Plagiarism Detection

Sonia Alouane-Ksouri and Minyar Sassi Hidri (2015). *International Journal of Service Science, Management, Engineering, and Technology* (pp. 63-74).

www.irma-international.org/article/hybrid-segmentation-prototype-for-arabic-text-based-documents/124231

Adding Semantics to QoS Requirements

Ester Giallonardo and Eugenio Zimeo (2011). *Engineering Reliable Service Oriented Architecture: Managing Complexity and Service Level Agreements* (pp. 104-124).

www.irma-international.org/chapter/adding-semantics-qos-requirements/52193

Introducing E-Procurement in a Local Healthcare Agency

Tommaso Federici (2009). *Cases on Managing E-Services* (pp. 218-237).

www.irma-international.org/chapter/introducing-procurement-local-healthcare-agency/6424

The Effect of Sense of Community on Users' Continuance of Online Music Communities

Tao Zhou and Xiaochen Xu (2022). *International Journal of Information Systems in the Service Sector* (pp. 1-14).

www.irma-international.org/article/the-effect-of-sense-of-community-on-users-continuance-of-online-music-communities/308786

Service Convenience: On-Line versus Brick and Mortar Bookstores

Paul Stephens and Matthew McGowan (2015). *International Journal of Information Systems in the Service Sector* (pp. 1-14).

www.irma-international.org/article/service-convenience/126624