

Chapter 1.6

Conceptual Modeling Solutions for the Data Warehouse

Stefano Rizzi

DEIS - University of Bologna, Italy


ABSTRACT

In the context of data warehouse design, a basic role is played by conceptual modeling, that provides a higher level of abstraction in describing the warehousing process and architecture in all its aspects, aimed at achieving independence of implementation issues. This chapter focuses on a conceptual model called the DFM that suits the variety of modeling situations that may be encountered in real projects of small to large complexity. The aim of the chapter is to propose a comprehensive set of solutions for conceptual modeling according to the DFM and to give the designer a practical guide for applying them in the context of a design methodology. Besides the basic concepts of multidimensional modeling, the other issues discussed are descriptive and cross-dimension attributes; convergences; shared, incomplete, recursive, and dynamic hierarchies; multiple and optional arcs; and additivity.

INTRODUCTION

Operational databases are focused on recording transactions, thus they are prevalently characterized by an OLTP (online transaction processing) workload. Conversely, data warehouses (DWs) allow complex analysis of data aimed at decision support; the workload they support has completely different characteristics, and is widely known as OLAP (online analytical processing). Traditionally, OLAP applications are based on *multidimensional modeling* that intuitively represents data under the metaphor of a cube whose cells correspond to events that occurred in the business domain (Figure 1). Each event is quantified by a set of measures; each edge of the cube corresponds to a relevant dimension for analysis, typically associated to a hierarchy of attributes that further describe it. The multidimensional model has a twofold benefit. On the one hand, it is close to the way of thinking of data analyz-

Figure 1. The cube metaphor for multidimensional modeling



ers, who are used to the spreadsheet metaphor; therefore it helps users understand data. On the other hand, it supports performance improvement as its simple structure allows designers to predict the user intentions.

Multidimensional modeling and OLAP workloads require specialized design techniques. In the context of design, a basic role is played by *conceptual modeling* that provides a higher level of abstraction in describing the warehousing process and architecture in all its aspects, aimed at achieving independence of implementation issues. Conceptual modeling is widely recognized to be the necessary foundation for building a database that is well-documented and fully satisfies the user requirements; usually, it relies on a graphical notation that facilitates writing, understanding, and managing conceptual schemata by both designers and users.

Unfortunately, in the field of data warehousing there still is no consensus about a formalism for conceptual modeling (Sen & Sinha, 2005). The entity/relationship (E/R) model is widespread in the enterprises as a conceptual formalism to provide standard documentation for relational information systems, and a great deal of effort has been made to use E/R schemata as the input for designing nonrelational databases as well (Fahrner

& Vossen, 1995); nevertheless, as E/R is oriented to support queries that navigate associations between data rather than synthesize them, it is not well suited for data warehousing (Kimball, 1996). Actually, the E/R model has enough expressivity to represent most concepts necessary for modeling a DW; on the other hand, in its basic form, it is not able to properly emphasize the key aspects of the multidimensional model, so that its usage for DWs is expensive from the point of view of the graphical notation and not intuitive (Golfarelli, Maio, & Rizzi, 1998).

Some designers claim to use star schemata for conceptual modeling. A *star schema* is the standard implementation of the multidimensional model on relational platforms; it is just a (denormalized) relational schema, so it merely defines a set of relations and integrity constraints. Using the star schema for conceptual modeling is like starting to build a complex software by writing the code, without the support of and static, functional, or dynamic model, which typically leads to very poor results from the points of view of adherence to user requirements, of maintenance, and of reuse.

For all these reasons, in the last few years the research literature has proposed several original approaches for modeling a DW, some based on

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/conceptual-modeling-solutions-data-warehouse/7903

Related Content

The Knowledge Transfer Process: From Field Studies to Technology Development

M. Millie Kwanand Pak-Keung Cheung (2006). *Journal of Database Management* (pp. 16-32).

www.irma-international.org/article/knowledge-transfer-process/3345

Beyond Micro-Tasks: Research Opportunities in Observational Crowdsourcing

Roman Lukyanenkoand Jeffrey Parsons (2018). *Journal of Database Management* (pp. 1-22).

www.irma-international.org/article/beyond-micro-tasks/201040

Visual Query Languages, Representation Techniques, and Data Models

Maria Chiara Caschera, Arianna D'Uliziaand Leonardo Tininini (2009). *Database Technologies: Concepts, Methodologies, Tools, and Applications* (pp. 1003-1019).

www.irma-international.org/chapter/visual-query-languages-representation-techniques/7955

INDUSTRY AND PRACTICE: The Changing Mission of the Data/Information Profession

Judi Reeder (1997). *Journal of Database Management* (pp. 31-35).

www.irma-international.org/article/industry-practice-changing-mission-data/51187

An Application of an Intelligent Data Warehouse for Modelling Spatiotemporal Objects

Georgia Garani, Nunziato Cassaviaand Ilias K. Savvas (2020). *International Journal of Big Data Intelligence and Applications* (pp. 36-57).

www.irma-international.org/article/an-application-of-an-intelligent-data-warehouse-for-modelling-spatiotemporal-objects/276756