

Chapter 2.3

A Database Service Discovery Model for Mobile Agents

Lei Song

University of Guelph, Guelph, Canada

Xining Li

University of Guelph, Guelph, Canada

Jingbo Ni

University of Guelph, Guelph, Canada

ABSTRACT

One of the main challenges of mobile agent technology is how to locate hosts that provide services requested by mobile agents. Traditional service location protocols can be applied to mobile agent systems in order to explore the service discovery issue. However, because of their architecture deficiencies, they adequately do not solve all the problems that arise in a dynamic domain such as database location discovery. From this point of view, we need some enhanced service discovery techniques for the mobile agent community. This article proposes a new model for solving the database service location problem in the domain of mobile agents by implementing a service discovery module based on search engine techniques. As a typical interface provided by a

mobile agent server, the service discovery module improves the decision ability of mobile agents with respect to information retrieval. This research is part of the IMAGO system, an infrastructure for mobile agent applications. This article focuses on the design of an independent search engine, IMAGOSearch, and discusses how to integrate service discovery into the IMAGO system, thus providing a global scope service location tool for intelligent mobile agents.

INTRODUCTION

The number of services that will become available in distributed networks (in particular, on the Internet) is expected to grow enormously. Besides classical services such as those offered

by printers, scanners, fax machines, and so on, more and more services will be available nowadays. Examples are information access via the Internet, music on demand, Web services, and services that use computational infrastructure that has been deployed within the network. Moreover, the concept of service in mobile agent systems, which will be described in this article, has come into prominence recently.

The mobile agent model is a new distributed software development paradigm as compared to the traditional client-server model. Instead of calling operations on servers with some form of synchronization, the user passes on his or her goal to an agent that can migrate within the computational environment and knows how to handle it without being controlled. In brief, mobile agents are active, autonomous, intelligent objects that are able to move between locations in a so-called agent system. Mobile agents must interact with their hosts in order to use their services or to negotiate services with other agents (Song & Li, 2004). Discovering services for mobile agents comes from two considerations. First, the agents possess local knowledge of the network and have a limited functionality, since only agents of limited size and complexity can migrate efficiently in a network and have little overhead. Hence, specific services are required that aim at deploying mobile agents efficiently in the system and the network. Second, mobile agents are subject to strong security restrictions, which are enforced by the security manager. Thus, mobile agents should find services that help to complete security-critical tasks other than execute code that might jeopardize remote servers. Following this trend, it becomes increasingly important to give agents the ability to find and make use of services that are available in a network (Bettstetter & Renner, 2000).

Some of the mobile agent systems developed in the last few years are Aglets (Lange & Ishima, 1998), Voyager (Recursion Software Inc, 2005), Grasshopper (Baumer et al., 1999), Concordia (Mitsubishi Electric, 1998), and D'Agents (Gray

et al., 2000). Research in the area of mobile agents looked at languages that are suitable for mobile agent programming, and languages for agent communication. Much effort was put into security issues, control issues, and design issues. Some state-of-the-art mobile agent systems focus on different aspects of the above issues (e.g., Aglets on security, D'Agents on multi-language support, Grasshopper on the implementation of the FIPA [FIPA, 2002], and MASIF [Milojicic et al., 1998] standard). However, few research groups have paid attention to offering an environment to combine the concept of service discovery and mobile agent paradigm. Most existing mobile agent systems require their programmers to specify agent migration itinerary explicitly. This makes mobile agents weak in their ability to sense their execution environment and to react autonomously to dynamic distributed systems.

In this article, we propose a new service discovery model DSSEM (discovery service via search engine model) for mobile agents. DSSEM is based on a search engine, a global Web search tool with centralized index and fuzzy retrieval. This model especially aims at solving the database service location problem and is integrated with our IMAGO (intelligent mobile agent gliding online) system. The IMAGO system is an infrastructure for mobile agent applications. It includes code for the IMAGO server—a multi-threading logic virtual machine, the IMAGO-Prolog—a Prolog-like programming language extended with a rich API for implementing mobile agent applications, and the IMAGO IDE, a Java-GUI-based program from which users can perform editing, compiling, and invoking an agent application. In our system, mobile agents are used to support applications, and service agents are used to wrap database services. Service providers manually register their services in a service discovery server. A mobile agent locates a specific service by submitting requests to the service discovery server with the description of required services. Web pages are used to advertise services. The design goal of DSSEM is

9 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/database-service-discovery-model-mobile/7926

Related Content

Data Modeling: An Ontological Perspective of Pointers

Hock Chuan Chan, Chuan-Hoo Tan and Hock-Hai Teo (2014). *Journal of Database Management* (pp. 17-37).

www.irma-international.org/article/data-modeling/138624

Data Warehouses

Antonio Badia (2005). *Encyclopedia of Database Technologies and Applications* (pp. 121-126).

www.irma-international.org/chapter/data-warehouses/11133

Compression Schemes with Data Reordering for Ordered Data

Chun-Hee Lee and Chin-Wan Chung (2014). *Journal of Database Management* (pp. 1-28).

www.irma-international.org/article/compression-schemes-with-data-reordering-for-ordered-data/109930

An Empirical Investigation of Requirements Specification Languages: Detecting Defects While Formalizing Requirements

Erik Kamsties, Antje von Knethen and Jan Philipps (2005). *Information Modeling Methods and Methodologies: Advanced Topics in Database Research* (pp. 125-147).

www.irma-international.org/chapter/empirical-investigation-requirements-specification-languages/23012

TransFusion Model Fusion Mechanism Based on Transformer for Traffic Flow Prediction

Xintong Song, Donghua Yang, Yutong Wang, Hongzhi Wang, Jinbao Wang and Bo Zheng (2023). *Journal of Database Management* (pp. 1-14).

www.irma-international.org/article/transfusion-model-fusion-mechanism-based-on-transformer-for-traffic-flow-prediction/325353