

Chapter 2.7

Conceptual Modeling for XML: A Myth or a Reality

Sriram Mohan

Indiana University, USA

Arijit Sengupta

Wright State University, USA

ABSTRACT

The process of conceptual design is independent of the final platform and the medium of implementation, and is usually in a form that is understandable and usable by managers and other personnel who may not be familiar with the low-level implementation details, but have a major influence in the development process. Although a strong design phase is involved in most current application development processes (e.g., Entity Relationship design for relational databases), conceptual design for XML has not been explored significantly in literature or in practice. Most XML design processes start by directly marking up data in XML, and the metadata is typically designed at the time of encoding the documents. In this chapter, the reader is introduced to existing methodologies for modeling XML. A discussion is then presented comparing and contrasting their capabilities and

deficiencies, and delineating the future trend in conceptual design for XML applications.

INTRODUCTION

With advances in the structural and functional complexity of XML, a standardized method for designing and visually presenting XML structures is becoming necessary.

XML modeling techniques can be generally classified based on the chosen approach into one of the following three major categories: (1) Entity Relationship (ER), (2) Unified Modeling Language (UML), and (3) Structured Hierarchical Model. Literature reveals the existence of several methodologies for modeling XML that are derived from these three categories. Several proprietary commercial tools that can be adapted to design and model XML structures have been introduced


in recent years. In this chapter, we present six such academic tools and four commercial methodologies relevant in modeling XML structures and provided an overview of the same is provided by making use of appropriate examples. In order for the survey to be more comparative, a common working example is chosen and equivalent conceptual models are developed to illustrate a model's capabilities. To conclude, a discussion summarizing the capabilities of each of the methods and their suitability as a conceptual model for XML is analysed to help answer the question posed by the chapter: *Is developing a conceptual model for XML a Myth or a Reality?*

Several business situations arise where a conceptual model is necessary. A good conceptual model can help planners by providing a framework for developing architectures, assigning project responsibilities, and selecting technology (Mohr, 2001). For XML in particular, the verbose and syntax-heavy nature of the schema languages makes them unsuitable for providing this type of framework. As an illustration, consider the typical business problem of data interchange between different organizations. These type of applications, often used with the term EDI (Electronic Data Interchange), is already being moved to XML (Kay, 2000; Ogbuji, 1999). The non-proprietary nature of XML and its descriptive markup make it suitable for exchange of information between

organizations. Ogbuji (1999) uses a purchase order example to illustrate how the interchange process can be facilitated with XML. However, a quick look at the illustration reveals that XML data and structure syntax, although more generalized and more descriptive than the EDI notation used by the article (ANSI X12 Transaction set), it is not going to be suitable for use in the presentation of the data to its potential users. A conceptual model of this purchase order, shown in Figure 1, reveals the internal structure of the order and items, and is more suited for understanding the conceptual structure of the application, and this is exactly the aim of this chapter.

In the rest of this chapter, we intend to demonstrate how conceptual models can in fact handle the complexities of XML, and the advances of such models in current literature as well as commercial applications. Toward that goal, we first further motivate the problem in the second section, and then discuss the interesting problems that arise when creating a conceptual model for XML in the third section. We then discuss six research-based methods in the fourth section, followed by four commercial tools in the fifth section. Finally, we compare these various tools in the sixth section and draw conclusions on the state of the current development in conceptual modeling for XML in the seventh section.

Figure 1. A conceptual model for the purchase order application



21 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/conceptual-modeling-xml/7930

Related Content

Effective Processing of XML-Extended OLAP Queries Based on a Physical Algebra

Xuepeng Yin and Torben Bach Pedersen (2007). *Contemporary Issues in Database Design and Information Systems Development* (pp. 195-242).

www.irma-international.org/chapter/effective-processing-xml-extended-olap/7025

Requirements Elicitation Technique Selection: A Theory-Based Contingency Model

Miguel I. Aguirre-Urreta and George M. Marakas (2009). *Advanced Principles for Improving Database Design, Systems Modeling, and Software Development* (pp. 79-95).

www.irma-international.org/chapter/requirements-elicitation-technique-selection/4293

A Space-Efficient Protocol for Consistency of External View Maintenance on Data Warehouse Systems: A Proxy Approach

Shi-Ming Huang, David C. Yen and Hsiang-Yuan Hsueh (2007). *Journal of Database Management* (pp. 21-47).

www.irma-international.org/article/space-efficient-protocol-consistency-external/3373

Interoperability in Marine Sensor Networks through SWE Services: The RITMARE Experience

Alessandro Oggioni, Paolo Tagliolato, Cristiano Fugazza, Monica Pepe, Stefano Menegon, Fabio Pavesi and Paola Carrara (2017). *Oceanographic and Marine Cross-Domain Data Management for Sustainable Development* (pp. 200-223).

www.irma-international.org/chapter/interoperability-in-marine-sensor-networks-through-swe-services/166842

Applying UML and XML for Designing and Interchanging Information for Data Warehouses and OLAP Applications

Juan Trujillo, Sergio Lujan-Mora and Il-Yeol Song (2004). *Journal of Database Management* (pp. 41-72).

www.irma-international.org/article/applying-uml-xml-designing-interchanging/3305