



Chapter III

Real-Time Disk Scheduling for Multimedia Data Retrieval

Ray-I Chang
IIS, Academia Sinica, Taiwan

Wei-Kuan Shih
CIS, NTHU, Taiwan

Ruei-Chuan Chang
CIS, NCTU, Taiwan

INTRODUCTION

The great progresses in computer and network technologies make applications of distributed multimedia ever more popular. Various commercial products have been presented in these years such as electronic commerce, video-on-demand, teleconferencing, tele-medicine, distance education and digital library. The basic architecture of a distributed multimedia system contains three parts—the server subsystem, the network subsystem and the client subsystem, as shown in Figure 1 (Chang, et al., 1997; Chang, 1996; Gemmill and Han, 1994; Rangan and Vin, 1993).

Server subsystem: Media data are stored in the storage devices of server subsystem, such as hard disks and CD-ROM, by data placement schemes (Wang, et al., 1997; Lougher and Shepherd, 1993; Vin and Rangan, 1991). When user requests are presented, media data must be retrieved from storage devices to system buffer under pre-specified timing requirements (Tindell and Burns, 1994).

Figure 1. The basic architecture of a distributed multimedia system




Table 1. The required data rates for presenting different media data

<i>phone voice</i>	<i>CD music</i>	<i>MPEG audio</i>	<i>MPEG video</i>	<i>HDTV video</i>
0.064	1.40	0.384	0.42	81.0
M bits/sec	M bits/sec	M bits/sec	M bytes/sec	M bytes/sec

Network subsystem: Then, the retrieved data are transmitted from server to client by a real-time network transmission scheduler. Generally, the available bandwidth and queue length in network are limited.

Client subsystem: At last, client uses a template buffer to regulate the received data by introducing the suitable start-up latency. Therefore, the media stream can be played under guaranteed QoS (quality-of-service).

Different from the data block required in conventional computation systems, media data (such as video and audio) are notably in large volume and have strict timing requirements for presentation and synchronization. The data rates required for smoothly presenting different media data are shown in Table 1. As the volumes of media data are large, the disk scheduler has a pronounced effect to the system performance. In this chapter, we study the real-time disk scheduling problem for supporting multimedia data retrieval.

A real-time disk scheduler considers four input parameters for each task T_i (the data location a_i , the data capacity b_i , the ready time r_i and the deadline d_i) to decide two timing factors (start-time e_i and fulfill-time f_i) scheduled to retrieve media data. Without loss of generality, a non-real-time task can be viewed as a real-time task with an unlimited deadline (Stankovic and Buttazzo, 1995).

Definition 1:

Data location: the start location at which the required data block is stored.

Data capacity: the data size that is retrieved from the start location.

Ready time: the earliest time at which the task is ready to be started.

Deadline: the latest time at which the task must be completed.

Start-time: the time at which the task is actually started.

Fulfill-time: the time at which the task is actually completed.

A magnetic disk is generally made up of rotating disks, access heads and an assembly arm that moves the access heads into specified cylinders. The request for disk service, said T_p , specifies a pair of necessary information such as the location a_i and the amount b_i of data to be transferred. To serve this request, first the disk arm must take a *seek time* to move the disk arm to the appropriate cylinder. After that, the system must wait until the desired block rotates under its read-write head. This waiting time is called *latency time*. Then, a *switch time* is taken for switching the controller's attention from one disk head to the other within the same cylinder. Finally, the amount of data transferred between the disk and buffer will take a *transfer time*. A *disk service time* c_i is the summation of a seek time, a latency time, a head switch time and a transfer time (King, 1990; Ruemmler and Wilkes, 1994).

$$c_i = \text{seek time} + \text{latency time} + \text{switch time} + \text{transfer time}$$

Conventionally, a disk scheduler was designed to maximize the data throughput in serving the presented tasks. However, in a time-critical application, the first goal of a disk scheduler is to meet the specified real-time constraints (Shih et al., 1992; Mok, 1983). Maximizing the data throughput is also important, but a real-time task is meaningless if the

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/real-time-disk-scheduling-multimedia/8115

Related Content

Visualization of Neuro-Fuzzy Networks Training Algorithms: The Backpropagation Algorithm Approach

Antonia Plerou, Elena Vlamou and Basil Papadopoulos (2016). *Experimental Multimedia Systems for Interactivity and Strategic Innovation* (pp. 222-257). www.irma-international.org/chapter/visualization-of-neuro-fuzzy-networks-training-algorithms/135132

Hybrid Query Refinement: A Strategy for a Distance Based Index Structure to Refine Multimedia Queries

Kasturi Chatterjee and Shu-Ching Chen (2011). *International Journal of Multimedia Data Engineering and Management* (pp. 52-71). www.irma-international.org/article/hybrid-query-refinement/58051

Context Awareness for Pervasive Assistive Environment

Mohamed Ali Feki (2009). *Handbook of Research on Mobile Multimedia, Second Edition* (pp. 946-960). www.irma-international.org/chapter/context-awareness-pervasive-assistive-environment/21055

Web 2.0 and Beyond-Participation Culture on the Web

August-Wilhelm Scheer (2009). *Encyclopedia of Multimedia Technology and Networking, Second Edition* (pp. 1537-1544). www.irma-international.org/chapter/web-beyond-participation-culture-web/17582

Attention-Based Multimodal Neural Network for Automatic Evaluation of Press Conferences

Shengzhou Yi, Koshiro Mochitomi, Isao Suzuki, Xueting Wang and Toshihiko Yamasaki (2020). *International Journal of Multimedia Data Engineering and Management* (pp. 1-19). www.irma-international.org/article/attention-based-multimodal-neural-network-for-automatic-evaluation-of-press-conferences/265538