

# Chapter XVII

## Smart Antennas for Code Division Multiple Access Systems

**Salman Durrani**

*The Australian National University, Australia*

**Marek E. Bialkowski**

*The University of Queensland, Australia*

### ABSTRACT

*This chapter discusses the use of smart antennas in Code Division Multiple Access (CDMA) systems. First, we give a brief overview of smart antenna classification and techniques and describe the issues that are important to consider when applying these techniques in CDMA systems. These include system architecture, array antennas, channel models, transmitter and receiver strategies, beamforming algorithms, and hybrid (beamforming and diversity) approach. Next, we discuss modeling of smart antennas systems. We present an analytical model providing rapid and accurate assessment of the performance of CDMA systems employing a smart antenna. Next, we discuss a simulation strategy for an adaptive beamforming system. A comparison between the analytical results and the simulation results is performed followed by a suitable discussion.*

### INTRODUCTION

Over the last two decades smart antenna technologies, referred to as Multiple Input Single Output (MISO) or Single Input Multiple Output (SIMO), have received much attention (Alexiou, 2004). Conventional cellular systems make use of omnidirectional or sectorized antenna systems. “The major drawback of such antenna systems is that electromagnetic energy is radiated unnecessarily in too many directions within the entire cell thus causing interference to other users in the system. One way to limit this interference and direct the energy to the desired user is to use smart antennas” (Osseiran, 2006). Smart antenna systems consist of an array of antenna elements whose signals are intelligently combined to exploit the spatial domain and improve the performance of a wireless system. For narrowband variety of these systems, the “basic principle is to multiply the signals at different antenna elements with complex weights before the signals are transmitted or when the received signals are summed up” (Pedersen, 2003). This allows a narrow beam (with gain) to be created towards the desired user and low side-lobes towards other users. Smart antennas offer a broad range of ways to improve the performance of wireless systems. For example, in the initial development of the system they offer

enhanced range and in a longer term increased capacity of wireless systems. Due to the capability of spatial separation of signals, they allow different subscribers to share the same spectral resources (Space Division Multiple Access). The same capability of spatial separation of signals allows for mitigating adverse multi-path effects.

Smart antennas can be generally divided into three main groups depending upon the level of intelligence. These are (i) fixed beam systems (Osseiran, 2006) or fixed multi-beam (also called switched beam) systems (Allen, 2004), (ii) phased arrays (Janaswamy, 2001) and (iii) adaptive array antennas (Godara, 1997). Adaptive implementations have better performance than fixed or switched beam systems, at the expense of higher implementation cost and complexity. The advent of low cost Digital Signal Processor (DSP) chips, Application Specific Integrated Circuits (ASIC's), system-in-a-package or system-on-a-chip realizations have made adaptive antenna systems practical for commercial use (Kaiser, 2005).

According to (Alexiou, 2004), "the adoption of smart antennas in future wireless systems relies on two main investigation approaches to be performed:

- Consideration of the smart antenna features early in the design phase of future systems.
- Realistic performance evaluation of smart antennas according to the critical parameters associated with system requirements".

As far as first approach is concerned, smart antennas are already an integral part of Universal Mobile Telecommunications System (UMTS) and third generation Code Division Multiple Access (CDMA) standards and their evolutionary roadmaps (Boche, 2006). Furthermore, there is currently increasing interest in the incorporation of smart antenna techniques for IEEE wireless LAN/MAN (802.11n, 802.16 and 802.20) and smart antennas are expected to play a significant role in enabling broadband wireless communication (Alexiou, 2004). As far as second approach is concerned, performance evaluation based on accurate modeling with suitable simulation methodology is required.

This chapter addresses these two approaches and provides an overview of smart antenna technologies for Code Division Multiple Access system. The remainder of the chapter is organised as follows. In Section 2, we first summarize the background information and then present the state of the art in smart antenna systems from key system architecture and performance analysis perspectives. In Section 3, we discuss smart antenna system modeling for CDMA and present a performance analysis based on analytical expressions, including simulation results for verification. Finally in Section 4, we present conclusions and identify some avenues for future work.

## **SMART ANTENNA TECHNOLOGIES**

This section is devoted to the review of background information for smart antenna technologies. The emphasis is on summarizing the state of the art by focusing on well-chosen highlights, i.e. classification, system architecture and modeling and performance analysis aspects. The presented considerations are limited to the narrowband case. By the narrowband system, we mean the system whose operational frequency band is no more than a few percents.

### **Classification**

A smart antenna is defined as an array of antennas with a digital signal processing unit, which can change its pattern dynamically to adjust to noise, interference and multipaths. The conceptual block diagram of a smart antenna system is shown in Figure 1.

We can identify three main blocks: (i) array antenna (ii) complex weights and (iii) adaptive signal processor. The antenna elements are usually identical and have an omni-directional pattern in the azimuth plane. The array geometry usually comprises of a Uniform Linear Array (ULA) or Uniform Circular Array (UCA) of antenna elements. The signals received at the different antenna elements are multiplied with complex weights and then summed up. The complex weights are continuously adjusted by the Adaptive Signal Processor which uses all available information such as pilot or training sequences or knowledge of the properties of the signal to calculate the weights. This is done so that the main beam tracks the desired user and/or nulls are placed in the direction of interferers and/or side lobes towards other users are minimized. It should be noted that the term "smart" refers to the whole antenna system and not just the array antenna alone.

"The fundamental idea behind a smart antenna is not new but dates back to the early sixties when it was first proposed for electronic warfare as a counter measure to jamming" (Janaswamy, 2001). The smart antenna systems for cellular base stations can be divided into the following three main categories (Janaswamy, 2001), which are illustrated in Figure

20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/smart-antennas-code-division-multiple/8466](http://www.igi-global.com/chapter/smart-antennas-code-division-multiple/8466)

## Related Content

---

### Reconfigurable Antenna System for 5G/6G

Smrity Dwivedi (2024). *Radar and RF Front End System Designs for Wireless Systems* (pp. 92-111). [www.irma-international.org/chapter/reconfigurable-antenna-system-for-5g6g/344439](http://www.irma-international.org/chapter/reconfigurable-antenna-system-for-5g6g/344439)

### A Source Based On-Demand Data Forwarding Scheme for Wireless Sensor Networks

Martin Brandl, Andreas Kos, Karlheinz Kellner, Christian Mayerhofer, Thomas Posniecek and Christian Fabian (2011). *International Journal of Wireless Networks and Broadband Technologies* (pp. 49-70). [www.irma-international.org/article/source-based-demand-data-forwarding/62087](http://www.irma-international.org/article/source-based-demand-data-forwarding/62087)

### Metamaterial-Based Electrically Small Antennas (ESAs): A Review

Jayant Gajanan Joshi and Shyam S. Pattnaik (2023). *Handbook of Research on Emerging Designs and Applications for Microwave and Millimeter Wave Circuits* (pp. 29-47). [www.irma-international.org/chapter/metamaterial-based-electrically-small-antennas-esas/317784](http://www.irma-international.org/chapter/metamaterial-based-electrically-small-antennas-esas/317784)

### A Resource-Efficient Approach on User Association in 5G Networks Using Downlink and Uplink Decoupling

Christos Bouras, Vasileios Kokkinos and Evangelos Michos (2020). *International Journal of Wireless Networks and Broadband Technologies* (pp. 43-59). [www.irma-international.org/article/a-resource-efficient-approach-on-user-association-in-5g-networks-using-downlink-and-uplink-decoupling/257778](http://www.irma-international.org/article/a-resource-efficient-approach-on-user-association-in-5g-networks-using-downlink-and-uplink-decoupling/257778)

### Telugu News Data Classification Using Machine Learning Approach

Bala Krishna Priya G., Jabeen Sultana and Usha Rani M. (2022). *Handbook of Research on Advances in Data Analytics and Complex Communication Networks* (pp. 181-194). [www.irma-international.org/chapter/telugu-news-data-classification-using-machine-learning-approach/287238](http://www.irma-international.org/chapter/telugu-news-data-classification-using-machine-learning-approach/287238)