Chapter 2 Task Coordination for Service Robots Based on Multiple Markov Decision Processes

Elva Corona

National Institute of Astrophysics, Optics and Electronics, Mexico

L. Enrique Sucar

National Institute of Astrophysics, Optics and Electronics, Mexico

ABSTRACT

Markov Decision Processes (MDPs) provide a principled framework for planing under uncertainty. However, in general they assume a single action per decision epoch. In service robot applications, multiple tasks are required simultaneously, such as navigation, localization and interaction. We have developed a novel framework based on functional decomposition that divides a complex problem into several sub-problems. Each sub-problem is defined as an MDP and solved independently, and their individual policies are combined to obtain a global policy. In contrast to most previous approaches for hierarchical MDPs, in our approach all the MDPs work in parallel, so we obtain a reactive system based on a decision theoretic framework. We initially solved each MDP independently and combined their policies assuming no conflicts. Then we defined two kinds of conflicts, resource and behavior conflicts, and proposed solutions for both. The first kind of conflict is solved off-line using a two phase process which guarantees a near-optimal global policy. Behavior conflicts are solved on-line based on a set of restrictions specified by the user, and a constraint satisfaction module that selects the action set with higher expected utility. We have used these methods for task coordination in service robots, and present experimental results for a messenger robot.

INTRODUCTION

Our work is motivated by planning under uncertainty in robotics. Consider a mobile robot that has to perform a complex task in an uncertain environment. To accomplish its goal, the robot has to do several subtasks simultaneously, such as finding the shortest route to certain location, and, at the same time, avoiding obstacles and maintaining its location in the map. It might also need to recognize objects in the environment and interact with people. A popular approach to solve this problem in robotics is based on Brooks' *sub*-

DOI: 10.4018/978-1-4666-4607-0.ch002

sumption architecture (Brooks, 1986), in which several processes can sense and act in *parallel*. The conflicts that could arise between the different *behaviors* are usually solved by a fixed priority structure. However, this type of task coordination has several drawbacks:

- As the number of subtasks increases, defining the priority structure becomes very difficult,
- The priority is fixed, and cannot change depending on the current situation.

We consider an alternative approach based on decision–theoretic planning, in which the priority of the subtasks can be decided dynamically such that the *best* actions can be taken at each decision point.

Markov Decision Processes (MDPs) (Bellman, 1957, Puterman, 1994) have developed as a standard method for representing uncertainty in decision-theoretic planning. They are simple for domain experts to specify, or can be learned from data. However, if we represent the robot task coordination problem as a single MDP, we have to consider all possible combinations of all the possible simultaneous actions. This implies an explosion in the action—state space and thus an important increase in complexity for solving the MDP. It also becomes much more difficult to specify or learn the model. Given that each subtask is usually implemented as a separate software module, it is natural to try to view each subtask as a different MDP and then in some way combine their policies to obtain the optimal global policy. Although there has been some work on MDPs with concurrent or parallel actions (Meuleau et al., 1998, Rohanimanesh & Mahadevan, 2008, Younes & Simmons, 2004, Marthi, Russell, Latham & Guestrin, 2005, Little & Thiebaux, 2006, Sucar, 2007, Muausam & Weld, 2008), in general they assume that the subtasks are independent and they do not consider explicitly the conflicts between the policies of each subtask.

We have developed a novel framework for task coordination for service robots based on multiple MDPs, that considers and solves conflicts between the individual policies. Based on functional decomposition, a complex task is partitioned into several subtasks which are solved independently, so that the combined policy can execute concurrent actions. Each subtask is represented as an MDP and solved independently, obtaining an optimal policy. These policies are executed in parallel assuming no conflicts. All the subtasks have a common goal and can share part of the state space, that is represented in a factored form.

We consider that conflicts may arise between the subtasks. We define and solve two types of conflicts:

- Resource conflicts, and
- Behavior conflicts.

Resource conflicts occur when two actions require the same physical resource (i.e., to control the wheels of a robot) and cannot be executed concurrently. This type of conflict is solved offline by a two-phase process. In the first phase we obtained an optimal policy for each subtask (MDP). An initial global policy is obtained by combining the local policies, such that if there is a conflict between the actions selected by each MDP for certain state, the one with maximum value is considered, and the state is marked as a conflict state. This initial solution is improved in a second phase using policy iteration. Taking the previous policy as its initial policy and considering only the states marked as conflicts, with this consideration the time complexity is drastically reduced and a near-optimal global policy is obtained.

Behavior conflicts arise in situations in which it is possible to execute two (or more) actions at the same time but it is not desirable given the application. For example, it is not desirable for a mobile robot to be navigating and handing out an object to a person at the same time (this situation is also difficult for a person). Behavior conflicts 16 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/task-coordination-for-service-robots-based-on-

multiple-markov-decision-processes/84886

Related Content

Ambient Activity Recognition in Smart Environments for Cognitive Assistance

Patrice C. Roy, Bruno Bouchard, Abdenour Bouzouaneand Sylvain Giroux (2013). *International Journal of Robotics Applications and Technologies (pp. 29-56).*

www.irma-international.org/article/ambient-activity-recognition-in-smart-environments-for-cognitive-assistance/95226

FPGA-Based Object Detection and Motion Tracking in Micro- and Nanorobotics

Claas Diederichsand Sergej Fatikow (2013). International Journal of Intelligent Mechatronics and Robotics (pp. 27-37).

www.irma-international.org/article/fpga-based-object-detection-and-motion-tracking-in-micro--and-nanorobotics/87479

Emotion in the Pursuit of Understanding

Daniel S. Levineand Leonid I. Perlovsky (2012). Creating Synthetic Emotions through Technological and Robotic Advancements (pp. 106-117).

www.irma-international.org/chapter/emotion-pursuit-understanding/65825

Multi-Modal MRI Images Analysis for Improved Herniated Disc Diagnosis Using Deep Learning

Princy K. Saji, K. C. Krishnachalithaand M. Kannan (2024). *Medical Robotics and Al-Assisted Diagnostics for a High-Tech Healthcare Industry (pp. 65-80).*

www.irma-international.org/chapter/multi-modal-mri-images-analysis-for-improved-herniated-disc-diagnosis-using-deeplearning/341110

Bio-Inspired Snake Robots: Design, Modelling, and Control

Mohammadali Javaheri Koopaee, Cid Gilani, Callum Scottand XiaoQi Chen (2018). Handbook of Research on Biomimetics and Biomedical Robotics (pp. 246-275).

www.irma-international.org/chapter/bio-inspired-snake-robots/198055