Chapter 75 Energy Efficient Data Query, Processing and Routing Techniques for Green Wireless Sensor Networks

Afshin Behzadan Ryerson University, Canada

Alagan Anpalagan Ryerson University, Canada

ABSTRACT

While wireless sensor networking plays a critical role in many important applications, it also contributes to the energy footprint - which continues to increase with the proliferation of wireless devices and networks worldwide. Energy-efficiency becomes a major concern in the development of next generation sensor systems and networks. This chapter discusses data management techniques from energy efficiency point of view for green wireless sensor networks.

INTRODUCTION

Wireless sensor networks (WSNs) usually contain power-constraint nodes that require energyefficient (a.k.a. green) transmission techniques, resource sharing algorithms and networking protocols (see an example in Figure 1). Each WNS node consists of one or more sensors for

DOI: 10.4018/978-1-4666-4852-4.ch075

sensing the surrounding environment. Sensors are small and usually inexpensive, and have limited processing resources. Sensors sense and gather information from the environment, based on the decision guidelines provided by users in forms of queries. Acquired data are transmitted, via embedded radio in nodes, among nodes in a multi-hop way and finally reach the root, i.e., the base station (Estrin, Girod, Pottie, & Srivastava, May 2001).

Figure 1. A wireless sensor network scheme



Usually, a WSN has no infrastructure and has an ad-hoc topology. This topology is due to the fact that sensor networks are typically deployed in hard-to-access environment. Obstructions in the environment can limit the wireless communication between nodes, affecting the network connectivity. These networks have many applications, such as military target tracking and surveillance, natural disaster relief, biomedical health monitoring and hazardous environment exploration and sensing.

Data Query, Processing, and Routing

Data sensing and transmitting consume a considerable portion of nodes' energy which is limited and vital (Potdar, Sharif, & Chang, May 2009).

The main goal of *query processing* is to answer queries posed by users, while decreasing the energy consumption and prolonging network lifetime are also considered (Gehrke & Madden, March 2004). Queries are declared by users to the network and the network returns the required data by using the query processing engine (Madden, Franklin, Hellerstein, & Hong, Tinydb, An acquisitional query processing system for sensor networks, March 2005). A single query processing scheme assumes one active query in the network. However, in reality, different users may connect to the base station and query various data. In many cases, although different users may have different requests, their requests are somewhat similar. Thus, assigning a network to a single query and running queries sequentially not only

24 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/energy-efficient-data-query-processing-androuting-techniques-for-green-wireless-sensor-networks/94999

Related Content

Is It Possible to Converge to Sustainable Strategies of Efficient Drinking Water Management in Tunisia?

Bouchrika Ali, Fakhri Issaouiand Terzi Chokri (2022). *International Journal of Social Ecology and Sustainable Development (pp. 1-14).*

www.irma-international.org/article/is-it-possible-to-converge-to-sustainable-strategies-of-efficient-drinking-watermanagement-in-tunisia/288532

Macroeconomic Factors and Company Value in the Context of the Ohlson Residual Income Valuation Model: Empirical Findings from Greece

Konstantinos Vergos, Apostolos G. Christopoulosand Vasilios Kalogirou (2013). *International Journal of Sustainable Economies Management (pp. 1-11).* www.irma-international.org/article/macroeconomic-factors-company-value-context/78502

Concepts for Sustainable End Consumer Movements in City Supply Chains: Sustainability-Related Requirements

Oana Stefana Mitreaand Kyandoghere Kyamakya (2016). Sustainable Logistics and Strategic Transportation Planning (pp. 107-127).

www.irma-international.org/chapter/concepts-for-sustainable-end-consumer-movements-in-city-supply-chains/148036

The Quality of Democracy-Concept vs. the Quintuple Helix: On the Virtues of Minimalist vs. Maximalist Approaches in Assessing the Quality of Democracy and the Quality of Society

Gerhard Schlattl (2013). International Journal of Social Ecology and Sustainable Development (pp. 66-85). www.irma-international.org/article/quality-democracy-concept-quintuple-helix/77347

Determination of Rate of Medical Waste Generation Using RVM, MARS and MPMR

J. Jagan, Pijush Samuiand Barnali Dixon (2020). Waste Management: Concepts, Methodologies, Tools, and Applications (pp. 436-453).

www.irma-international.org/chapter/determination-of-rate-of-medical-waste-generation-using-rvm-mars-andmpmr/242723