

Chapter 20

Application of Methodologies for Environmental Flow Determination in an Andean and a Mediterranean Basin: Two Case Studies of the Pance River (Colombia) and Wadi River (Palestine) Basin

Yesid Carvajal-Escobar
Universidad del Valle, Colombia

Saleh Sulieman
Birzeit University, Palestine

Ziad Mimi
Birzeit University, Palestine

Wilson Garces
Universidad del Valle, Colombia

Saed Khayat
*Palestine Technical University- Tulkarm,
Palestine*

Guillermo Cespedes
Universidad del Valle, Colombia

ABSTRACT

The demand for sustainable water management has promoted the development of methodologies for estimating environmental flows (EF). In this paper, the EF in an Andean river (Pance, Colombia) for conservation and a Mediterranean river (Wadi-Zomar, Palestine) for restoration purposes is made. Different methodologies are applied given the objectives for each river. The authors used hydrological indices proposed for watersheds with different water regimes and adaptations and validations were made to the local context. These methods allow for estimating the EF at various points in the river and the assessment of disruption scenarios for decision-making. In the Wadi Zomar River, three sampling points were selected. The water samples were then examined for the presence of pathogens. No one indicator or simple hydrological parameter is entirely suitable for all environmental systems and pathogens. In the base flow conditions, the amount of pollutant load varied temporally according to the amount of

DOI: 10.4018/978-1-4666-3613-2.ch020

load from point sources along the Wadi, and spatially with distance from the same sources. Significant variation was observed in response to the hydrological behavior of the catchment. The assessment for the water quality in the Zomar reflects a potentially serious threat to the environment. The results emphasize the need for regulating the seepage effluent from industries and sewage system along the stream.

INTRODUCTION

Water is vital for life and socio-economic development of nations; therefore, from ancient times many cities and civilizations have grown near to water ecosystems, turning them into the engine of their development, for the agriculture, industry and energy generation, among other multiple uses. Beyond the economic use of water, rivers, lakes, wetlands and aquifers play key roles for the biosphere, livelihood and cohesion of the communities, representing common natural properties that mark the identity of territories and peoples.

Most rivers in the world have been altered in structure, shape, composition and operation. It is estimated that more than 60% of larger the rivers of the world, are strong or moderately fragmented by dams, diversions and canals (Revenga et al., 2000); causing an excessive fall in flow, change in the magnitude, duration and frequency of floods, prolonged drought period and reduce periodic flooding; situations that have led to changes in river morphology, erosion, pollution and eutrophication, alteration of sediment transport, and ultimately, severe ecological changes, physical and chemical. As well the loss of ecosystem services (provisioning services, regulating and cultural) situation resulting in economic costs, because when the benefits are reduced is necessary to take remedial and repair the damage. However, higher costs are usually borne by the populations that depend directly on these services, usually the poorest. Recognizing the global value of the services that these ecosystems provide and invest in their protection, keeps the livelihoods and long-term benefits, and also to save high costs and contribute to achieving true sustainable development (Dyson, Bergkamp, & Scanlon, 2003).

In the past 30 years, the impact of the continuing unsustainable human interventions on water resources has generated a growing environmental concern, both inside and outside of our borders. Water users with political and/or economically power have successfully developed methods to quantify and justify their water needs, but this is not the case of ecosystem, silent users of the resource, which generally are ignored in making decisions on water concessions. Now is recognized that the maintenance of river ecosystems is a legitimate objective to be considered among the competing demands for fresh water (Baron et al., 2003), concern clearly reflected in the demands of society to preserve and use the environment in a sustainable way and in the different governments, that are trying to capture in their sectoral policies through laws enacted by the government and the commitments made in adhering to many international conventions (Convention on Biological Diversity, Man and Biosphere, Ramsar, etc.) (Gómez-Criado, Loné-Pérez, & Canga-Cabañes, 2000).

The increasing social demand for sustainable management of water resources has led to worldwide the development of methodologies for defining an environmental, ecological of maintenance flow or better known as “environmental flow regime – EFR”; (Cantera-Kintz, Castro-Heredia, & Carvajal-Escobar, 2009; Pyerce, 2004; Tharme, 2003), summary at least seven different names and concepts of environmental flow, reported in the literature, depending on the environmental objective to be achieved.

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/application-methodologies-environmental-flow-determination/75390

Related Content

Sustainable Supply Chain Management Barriers in Shrimp Food Supply Chain: A Case Study of India by MCDM Method

Suchismita Satapathy (2022). *International Journal of Social Ecology and Sustainable Development* (pp. 1-20).

www.irma-international.org/article/sustainable-supply-chain-management-barriers-in-shrimp-food-supply-chain/290395

Organic Production in Serbia: The Transition to Green Economy

Vladimir Filipovi, Svetlana Roljeviand Bojana Beki (2014). *Sustainable Practices: Concepts, Methodologies, Tools, and Applications* (pp. 769-785).

www.irma-international.org/chapter/organic-production-in-serbia/94965

Apply the QFD Method ('Home Quality') for Home' Bank

Petrua Mihai, Oana Vlduand Maria-Valia Mihai (2019). *International Journal of Sustainable Economies Management* (pp. 52-58).

www.irma-international.org/article/apply-the-qfd-method-home-quality-for-home-bank/218878

Development of PLC and SCADA-Based Automation Systems for Control of Irrigation Dam Gates

Suman Lata, Sandip Dhakal, H. K. Verma, Shiva Pujan Jaiswaland Vikas Singh Bhadoria (2022). *International Journal of Social Ecology and Sustainable Development* (pp. 1-20).

www.irma-international.org/article/development-of-plc-and-scada-based-automation-systems-for-control-of-irrigation-dam-gates/302471

A Conceptual Model for Biomass Supply Chain Sustainability

Konstantinos Petridis, Evangelos Grigoroudisand Garyfallos Arabatzis (2018). *International Journal of Social Ecology and Sustainable Development* (pp. 37-53).

www.irma-international.org/article/a-conceptual-model-for-biomass-supply-chain-sustainability/199059