# Chapter 2.2 A Social Framework for Software Architectural Design

Manuel Kolp

Université Catholique de Louvain, Belgium

**Yves Wautelet** Université Catholique de Louvain, Belgium

## ABSTRACT

Information systems are deeply linked to human activities. Unfortunately, development methodologies have been traditionally inspired by programming concepts and not by organizational and enterprise ones. This leads to ontological and semantic gaps between the systems and their environments. The adoption of Multi-Agent Systems (MAS) helps to reduce these gaps by offering modeling tools based on organizational concepts (actors, agents, goals, objectives, responsibilities, social dependencies, etc.) as fundamentals to conceive systems through a development process. Socio-technical design is concerned with the direct involvement of users in software design. To this respect the DesCARTES framework presented in this paper offers three main contributions: 1) the use of agents modeled according to organizational concepts, 2) the use of social patterns in software design that better match with users' organization structures, and 3) the inclusion in an iterative development methodology that involves the user intensively in software development.

If you think good architecture is expensive, try bad architecture. —Brian Foote and Joseph Yoder

## 1. INTRODUCTION

Information systems are deeply linked to human activities. Unfortunately, development meth-

DOI: 10.4018/978-1-60566-264-0.ch025

odologies have been traditionally inspired by programming concepts and not by organizational and enterprise ones. This leads to ontological and semantic gaps between the systems and their environments. The adoption of Multi-Agent Systems (MAS) helps to reduce these gaps by offering modeling tools based on organizational concepts (actors, agents, goals, objectives, responsibilities, social dependencies, etc.) as fundamentals to conceive systems through all development process. Moreover, software development is becoming increasingly complex. Stakeholder expectations are ever more demanding, while development times are supposed to be shorter. Project managers, analysts and software developers need adequate processes to model the organizational context, capture requirements and build efficient and flexible software systems. Those methodologies have to cover the whole life cycle (Kruchten, 2003) of the project while reducing risk as much as possible, offer tools to manage the complexity of human organizations and provide features to develop applications in a correct way.

At the architectural design level, an important technique that helps handle software construction and documentation complexity is the reuse of development experience and know-how. Styles and patterns have become an attractive approach to reusing architectural design knowledge. Architectural styles are intellectually manageable abstractions of system structure that describe how system components interact and work together (Shaw & Garlan, 1996). Design patterns describe a problem commonly found in software designs and prescribe a flexible solution for the problem, so as to ease the reuse of that solution. This solution is repeatedly applied from one design to the next, producing design structures that look quite similar across different applications (Gamma, Helm, Johnson, & Vlissides, 1995).

Taking real-world social structures as metaphors, the DesCARTES<sup>1</sup> (Faulkner, Kolp, Coyette & Do, 2004) framework proposes a set of generic architectural structures (Kolp, Giorgini & Mylopoulos, 2001). It, as well as i\*, Tropos and SPEM, is supported by the DesCARTES tool (Kolp & Wautelet, 2007). The aim is to offer and validate a software architectural design process specifically for agent-based systems:

- At the architectural level, organizational styles inspired from organization theory and strategic alliances are used to design the overall MAS architecture. Styles from organization theory describe the internal structure and design of the MAS architecture, while styles from strategic alliances model the cooperation of independent architectural organizational entities that pursue shared goals.
- At the detailed design level, social design patterns drawn from research on cooperative and distributed architectures, offer a more microscopic view of the social MAS architecture description. They define the agents and the social dependencies that are necessary for the achievement of agent goals.

The paper uses a running example to illustrate our approach: E-Media is a typical business-toconsumer application supporting the following features:

- An on-line web interface allows customers to examine the items in the *E-Media* catalogue, and place orders;
- Customers can search the on-line store by either browsing the catalogue or querying the item database. An online search engine allows customers to search title, author/art-ist and description fields trough keywords or full-text search;
- Internet communications are supported;
- On-line financial transactions including credit card and anonymity are protected;
- All web information (e.g., product and customer turnover, sales average, ...) of stra-

19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-global.com/chapter/social-framework-software-architectural-</u> <u>design/48682</u>

### **Related Content**

#### The Virtual Corporation and Trust: Balancing Between Identity and Innovation

Wendy Jansen, Hans P.M. Jagersand Wilchard Steenbakkers (2002). *Managing Virtual Web Organizations in the 21st Century: Issues and Challenges (pp. 43-60).* www.irma-international.org/chapter/virtual-corporation-trust/26057

#### The Effect of Experience-Based Tangible User Interface on Cognitive Load in Design Education

Zahid Islam (2020). International Journal of Virtual and Augmented Reality (pp. 1-13). www.irma-international.org/article/the-effect-of-experience-based-tangible-user-interface-on-cognitive-load-in-designeducation/283062

#### Seeking Accessible Physiological Metrics to Detect Cybersickness in VR

Takurou Magakiand Michael Vallance (2020). International Journal of Virtual and Augmented Reality (pp. 1-18).

www.irma-international.org/article/seeking-accessible-physiological-metrics-to-detect-cybersickness-in-vr/262621

## Evaluating Computer Games for the Professional Development of Teachers: The Case of Atlantis Remixed

Hakan Tüzün, Tansel Tepe, Tülay Dargut Güler, Fatih Özerand Volkan Uluçnar (2017). International Journal of Virtual and Augmented Reality (pp. 60-74).

www.irma-international.org/article/evaluating-computer-games-for-the-professional-development-of-teachers/188481

#### Bunker-Room Mnemonics for Second-Language Vocabulary Recall

Alexia Larchen Costuchen, Larkin Cunninghamand Juan Carlos Tordera Yllescas (2022). International Journal of Virtual and Augmented Reality (pp. 1-13).

www.irma-international.org/article/bunker-room-mnemonics-for-second-language-vocabulary-recall/304899