

# Chapter 2.8

## Visual Medical Information Analysis

**Maria Papadogiorgaki**

*Informatics and Telematics Institute, Centre for Research and Technology Hellas, Greece*

**Vasileios Mezaris**

*Informatics and Telematics Institute, Centre for Research and Technology Hellas, Greece*

**Yiannis Chatzizisis**

*Aristotle University of Thessaloniki, Greece*

**George D. Giannoglou**

*Aristotle University of Thessaloniki, Greece*

**Ioannis Kompatsiaris**

*Informatics and Telematics Institute, Centre for Research and Technology Hellas, Greece*

### INTRODUCTION

Images have constituted an essential data source in medicine in the last decades. Medical images derived from diagnostic technologies (e.g., X-ray, ultrasound, computed tomography, magnetic resonance, nuclear imaging) are used to improve the existing diagnostic systems for clinical purposes, but also to facilitate medical research. Hence, medical image processing techniques are constantly investigated and evolved.

Medical image segmentation is the primary stage to the visualization and clinical analysis of human tissues. It refers to the segmentation of known anatomic structures from medical images. Structures of interest include organs or parts thereof, such as cardiac ventricles or kidneys, abnormalities such as tumors and cysts, as well as other structures such as bones, vessels, brain structures and so forth. The overall objective of such methods is referred to as computer-aided diagnosis; in other words, they are used for assisting doctors in evaluating medical imagery or in recognizing abnormal findings in a medical image.

DOI: 10.4018/978-1-60960-561-2.ch208

In contrast to generic segmentation methods, techniques used for medical image segmentation are often application-specific; as such, they can make use of prior knowledge for the particular objects of interest and other expected or possible structures in the image. This has led to the development of a wide range of segmentation methods addressing specific problems in medical applications. In the sequel of this article, the analysis of medical visual information generated by three different medical imaging processes will be discussed in detail: Magnetic Resonance Imaging (MRI), Mammography, and Intravascular Ultrasound (IVUS). Clearly, in addition to the aforementioned imaging processes and the techniques for their analysis that are discussed in the sequel, numerous other algorithms for applications of segmentation to specialized medical imagery interpretation exist.

## **BACKGROUND**

### **Magnetic Resonance Imaging**

Magnetic Resonance Imaging (MRI) is an important diagnostic imaging technique attending to the early detection of the abnormal conditions in tissues and organs because it is able to reliably identify anatomical areas of interest. In particular for brain imaging, several techniques which perform segmentation of the brain structures from MRIs are applied to the study of many disorders, such as multiple sclerosis, schizophrenia, epilepsy, Parkinson's disease, Alzheimer's disease, and so forth. MRI is particularly suitable for brain studies because it is virtually noninvasive, and it achieves a high spatial resolution and high contrast of soft tissues. To achieve the 3D reconstruction of the brain morphology, several of the existing approaches perform segmentation on sequential MR images. The overall process usually includes noise filtering of the images and edge detection for

the identification of the brain contour. Following, perceptual grouping of the edge points is applied in order to recover the noncontinuous edges. In many cases, the next step is the recognition of the various connective components among the set of edge points, rejection of the components that consist of the smallest number of points, and use of the finally acquired points for reconstructing the 3D silhouette of the brain, as will be discussed in more detail in the sequel.

### **Mammography**

Mammography is considered to be the most effective diagnostic technique for detecting abnormal tissue conditions on women's breast. Being used both for prevention and for diagnostic purposes, it is a very commonly used technique that produces mammographic images by administering a low-dose of x-ray radiation to the tissue under examination. The analysis of the resulting images aims at the detection of any abnormal structures and the quantification of their characteristics, such as size and shape, often after detecting the pectoral muscle and excluding it from the further processing. Methods for the analysis of mammographic images are presented in the sequel.

### **Intravascular Ultrasound**

IVUS is a catheter-based technique that renders two-dimensional images of coronary arteries and therefore provides valuable information concerning luminal and wall area, plaque morphology and wall composition. An example IVUS image, with tags explaining the most important parts of the vessel structure depicted on it, is shown in Figure 1. However, due to their tomographic nature, isolated IVUS images provide limited information regarding the burden of atherosclerosis. This limitation can be overcome through 3D reconstruction techniques in order to stack the sequential 2D images in space, using single-plane

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:  
[www.igi-global.com/chapter/visual-medical-information-analysis/53594](http://www.igi-global.com/chapter/visual-medical-information-analysis/53594)

## Related Content

---

### Combining Geometry and Image in Biomedical Systems: The RT TPS Case

Thomas V. Kilindris and Kiki Theodorou (2009). *Handbook of Research on Advanced Techniques in Diagnostic Imaging and Biomedical Applications* (pp. 197-212).

[www.irma-international.org/chapter/combining-geometry-image-biomedical-systems/19596](http://www.irma-international.org/chapter/combining-geometry-image-biomedical-systems/19596)

### Applying Personal Health Informatics to Create Effective Patient-Centered E-Health

E. Vance Wilson (2011). *Clinical Technologies: Concepts, Methodologies, Tools and Applications* (pp. 1800-1811).

[www.irma-international.org/chapter/applying-personal-health-informatics-create/53682](http://www.irma-international.org/chapter/applying-personal-health-informatics-create/53682)

### RFID in Hospitals and Factors Restricting Adoption

Bryan Houliston (2011). *Clinical Technologies: Concepts, Methodologies, Tools and Applications* (pp. 825-852).

[www.irma-international.org/chapter/rfid-hospitals-factors-restricting-adoption/53622](http://www.irma-international.org/chapter/rfid-hospitals-factors-restricting-adoption/53622)

### An Innovation Ahead of its Time Understanding the Factors Influencing Patient Acceptance of Walk-In Telemedicine Services

Christina I. Serrano and Elena Karahanna (2011). *New Technologies for Advancing Healthcare and Clinical Practices* (pp. 326-346).

[www.irma-international.org/chapter/innovation-ahead-its-time-understanding/55152](http://www.irma-international.org/chapter/innovation-ahead-its-time-understanding/55152)

### High Availability Technologies for PACS

Carrison K.S. Tong and Eric T.T. Wong (2009). *Governance of Picture Archiving and Communications Systems: Data Security and Quality Management of Filmless Radiology* (pp. 41-52).

[www.irma-international.org/chapter/high-availability-technologies-pacs/19321](http://www.irma-international.org/chapter/high-availability-technologies-pacs/19321)