

Chapter 12

GIS, Grid Computing and RFID in Healthcare Information Supply Chain: A Case for Infectious Disaster Management

Yenming J. Chen

National Kaohsiung First University of Science and Technology, Taiwan

EXECUTIVE SUMMARY

Several healthcare disasters have occurred in the past decade, and their occurrence has become more frequent recently due to one natural catastrophe after another. The medical application requirement for such a disaster management system includes effective, reliable, and coordinated responses to disease and injury, accurate surveillance of area hospitals, and efficient management of clinical and research information. Based on the application requirements, this case study describes a grid-based system in a health information supply chain that monitors and detects national infectious events using geographical information system (GIS), radio-frequency identification (RFID), and grid computing technology. This system is fault-tolerant, highly secure, flexible, and extensible, thus making it capable of operation in case of a national catastrophe. It has a low cost of deployment and is designed for large-scale and quick responses. Owing to the grid-based nature of the network, no central server or data centre needs to be built. To reinforce the responsiveness of the national health information supply chain, this case study proposes a practical,

DOI: 10.4018/978-1-4666-0065-2.ch012

GIS, Grid Computing and RFID in Healthcare Information Supply Chain

tracking-based, spatially-aware, steady, and flexible architecture, based on GIS and RFID, for developing successful infectious disaster management plans to tackle technical issues. The architecture achieves a common understanding of spatial data and processes. Therefore, the system can efficiently and effectively share, compare, and federate—yet integrate—most local health information providers and results in more informed planning and better outcome.

ORGANIZATION BACKGROUND

The outbreak of severe acute respiratory syndrome (SARS) in Southeast Asia in 2003 had a serious impact and proved disastrous for the entire society, healthcare practitioners, healthcare institutions and public works personnel worldwide (Esswein et al., 2004). In recent years, the numerous natural disasters have always entailed a massive prevalence of contagious diseases. For example, after a devastating earthquake in Haiti in 2010, there was reported an outbreak of a cholera-like disease that had killed hundreds of people. In order to better manage such disasters in the future, much attention was given to interoperability of a nationwide health information network (Chau & Yip, 2003). Inherent in the massive collection of data, there is expected to be trade-offs between quick response and accuracy that arises with mass surveillance systems. The application requirements for such a system include an effective and coordinated response to disease and injury, accurate surveillance of area hospitals, and efficient management of clinical and research information.

A nationwide health information network or supply chain can be extremely complex, since it needs to integrate geographically-distributed healthcare providers and other units with distinct functions and mutual dependencies. In this case study there has been discussed an enhanced health information network that dealt with natural disaster caused by mass epidemic outbreak.

Due to the dynamic nature of propagation of epidemics, many researches investigate, following various dynamic approaches, the causes and consequent behaviour patterns in the outbreak of infectious diseases (Forys, 2002; Scheffer et al., 2001). System dynamics modelling allows the integration of multiple political, environmental, social and structural variables into a single model. It also analyses the behaviour of all the variables in the system, allowing policies to be tested repeatedly (Forrester, 1961). The system dynamics modelling methodology has been applied to the health sector many a time and proven itself in resolving complex, systemic issues (Yousefi & Lauridsen, 1998; Flessa, 1999; Ritchie-Dunham & Galv'an, 1999; Lane, Monefeldt & Rosenhead, 2000).

This case study tries to reinforce the responsiveness of the national health information supply chain with a practical, tracking-based, spatially-aware, steady-to-use,

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/gis-grid-computing-rfid-healthcare/62169

Related Content

Mining Generalized Association Rules in an Evolving Environment

Wen-Yang Lin and Ming-Cheng Tseng (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 1268-1274).

www.irma-international.org/chapter/mining-generalized-association-rules-evolving/10985

Learning Temporal Information from Text

Feng Pan (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 1146-1149).

www.irma-international.org/chapter/learning-temporal-information-text/10966

Clustering of Time Series Data

Anne Denton (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 258-263).

www.irma-international.org/chapter/clustering-time-series-data/10830

Data Mining Lessons Learned in the Federal Government

Les Pang (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 492-496).

www.irma-international.org/chapter/data-mining-lessons-learned-federal/10865

Hybrid Genetic Algorithms in Data Mining Applications

Sancho Salcedo-Sanz, Gustavo Camps-Valls and Carlos Bousoño-Calzón (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 993-998).

www.irma-international.org/chapter/hybrid-genetic-algorithms-data-mining/10942