



Chapter II

Inertial Sensing in Biomechanics: A Survey of Computational Techniques Bridging Motion Analysis and Personal Navigation

Angelo M. Sabatini, ARTS Lab, Scuola Superiore Sant' Anna, Italy

ABSTRACT

Sensing approaches for ambulatory monitoring of human motion are necessary in order to objectively determine a person's level of functional ability in independent living. Because this capability is beyond the grasp of the specialized equipment available in most motion analysis laboratories, body-mounted inertial sensing has been receiving increasing interest in the biomedical domain. Crucial to the success of this certainly not new sensing approach will be the capability of wearable inertial sensor networks to accurately recognize the type of activity performed (context awareness) and to determine the person's current location (personal navigation),

eventually in combination with other biomechanical or physiological sensors — key requirements in applications of wearable and mobile computing as well. This chapter reviews sensor configurations and computational techniques that have been implemented or are considered to meet the converging requirements of a wealth of application products, including ambulatory monitors for automatic recognition of activity, quantitative analysis of motor performance, and personal navigation systems.

INTRODUCTION

At present, human motor performance can be accurately assessed with several measuring instruments, the use of which is spread in many motion analysis laboratories throughout the world. The most important technology used to detect and track human body motion is video-motion sensing. In common with other motion tracking technologies, such as infrared, electromagnetic, ultrasound, video-motion sensing is externally referenced, in the sense an external source — optical, magnetic, acoustic — is needed to determine position and orientation information concerning the moving object of interest (Meyer, Applewhite, & Biocca, 1992). Usually, this source is effective over a relatively small working space. In addition to the range restriction, interference, distortions and occlusions can easily result in erroneous location and orientation information, thereby leading, in critical situations, to a complete loss of track (You, Neumann, & Azuma, 1999). The availability of dedicated laboratory setups is, therefore, a prerequisite for the application of externally referenced sensing techniques. However, from a clinical viewpoint, motor performance measured in laboratory settings may not accurately reflect functional ability in daily-life environments, since behavior of patients in laboratory is not necessarily representative of their daily-life behavior. There is a need for ambulatory monitoring systems that are able to provide objective assessment of human functional ability in the absence of the behavioral modifications induced by performing within constraining laboratory settings.

The capability of inertial sensors of sensing their own motion is the sourceless feature that makes them so attractive for the development of ambulatory monitoring systems (Verplaetse, 1996). Body-mounted sensors of this kind make it possible to determine position and orientation information based on the measurement of physical quantities (acceleration, angular velocity), which are directly related to the motion of the body part where they are positioned. Being internally referenced, inertial sensors can then be proposed to detect and track body motion over a virtually unrestricted working space. Until recent years, inertial sensors have only found use to monitor the motion of man-made vehicles, including spaceships, planes, ships, submarines, cars, and, more recently, wheeled and legged robots. Recent advances in microelectromechanical systems (MEMS) technologies have led to the development of a new generation of inertial sensors (Bachmann, Yun, McKinney, McGhee, & Zyda, 2003), the specifications of which — in terms of encumbrance, robustness, power consumption, measuring performance and cost — seem to be appropriate for applications in the biomedical field.

In inertial systems, the main problem is that position and orientation are found by time-integrating the signals from accelerometers and gyroscopes, as well as any sensor drift and noise superimposed to them. As a result, position and orientation errors tend to grow unbounded. This problem is especially acute when low-cost MEMS inertial

29 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/inertial-sensing-biomechanics/6807

Related Content

Multiple Description Coding for Multipath Video Streaming

Pedro Correia, Pedro A. Amado Assuncao and Vítor Silva (2017). *Biometrics: Concepts, Methodologies, Tools, and Applications* (pp. 836-891).

www.irma-international.org/chapter/multiple-description-coding-for-multipath-video-streaming/164631

Modeling of the Physical Principle of the Processes that is Occurring in Bioselective Elements

Irina Petrova, Viktoriya Zaripova, Yuliya Lezhnina and Vitaliy Sokolskiy (2015). *International Journal of Monitoring and Surveillance Technologies Research* (pp. 43-61).

www.irma-international.org/article/modeling-of-the-physical-principle-of-the-processes-that-is-occurring-in-bioselective-elements/153571

Intelligent Bidding in Smart Electricity Markets

Magda Foti and Manolis Vavalis (2015). *International Journal of Monitoring and Surveillance Technologies Research* (pp. 68-90).

www.irma-international.org/article/intelligent-bidding-in-smart-electricity-markets/146155

Cell Phone Image-Based Plant Disease Classification

Marion Neumann, Lisa Hallau, Benjamin Klatt, Kristian Kersting and Christian Bauckhage (2017). *Biometrics: Concepts, Methodologies, Tools, and Applications* (pp. 778-805).

www.irma-international.org/chapter/cell-phone-image-based-plant-disease-classification/164628

Virtual Environments and Cognitive Tests for Dementia Diagnosis

Juan Manuel Fernandez Montenegro and Vasileios Argyriou (2016). *International Journal of Monitoring and Surveillance Technologies Research* (pp. 10-23).

www.irma-international.org/article/virtual-environments-and-cognitive-tests-for-dementia-diagnosis/158002